Eurex US Security Coordinator Manual

# Eurex US Eurex US Security Coordinator/Master Terminal Operator

Security System Description

8.8

8.9

E	UREX	US SECURITY COORDINATOR/MASTER TERMINAL OPERATOR MANUAL	I
1	SE	CURITY SYSTEM DESCRIPTION	4
	1.1 1.2 1.3 1.4	RESPONSIBILITIES OF THE SECURITY SYSTEM SECURITY PROFILES DESCRIPTION OF THE USER ID PROCEDURE FOR A DDING, DELETING, OR MODIFYING A USER ID	4 5 8 9
2	LO	GIN	11
3	DE	SCRIPTION OF WINDOWS	12
	3.1 3.1 3.1 3.2	TRADER PRODUCT ASSIGNMENT         1       Add Product to Subgroup         1.2       Copy Product Assignment         USER SECURITY PROFILE MAINTENANCE	12 17 19 20
4	MC	DNITORING USER ACTIVITY	24
	4.1 4.2 4.3 4.4 4.5	CHANGE SUBGROUP WINDOW VIEWING ORDERS 2.1 Order Audit Trail VIEWING QUOTES VIEWING TRADES PRIVATE BROADCAST STREAMS	24 26 27 31 33 34
5	RE	VOCATION OF TRADING RIGHTS	35
_	5.1 5.2	REMOVE TRADING AUTHORIZATION	35 35
6	ME	MBER REPORT SELECTION	36
7	6.1 SE	CURITY COORDINATOR REPORTS	36 <b>40</b>
	7.1 7.2 7.3 7.4	USER SECURITY MAINTENANCE REPORT USER SECURITY STATUS REPORT TRADER UNDERLYING MAINTENANCE REPORT TRADER UNDERLYING STATUS REPORT	40 42 44 46
8	US	ER REPORTS	47
	8.1 8.2 8.3 8.4 8.5	DAILY TRADE CONFIRMATION OPEN ORDER DETAIL DAILY ORDER MAINTENANCE. DAILY QUOTE MAINTENANCE. DAILY STRATEGY ORDER MAINTENANCE	47 50 56 59 61
	8.6 8.7	DAILY STRATEGY QUOTE MAINTENANCE OTC TRADE MAINTENANCE	63 64

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

Security System Description

Page 3

8.10 SYSTEM TRANSACTION OVERVIEW REPORT	70
9 LOGOUT	72
10 PRINT REPORT FUNCTION	74
10.1 DESCRIPTION OF XMENU	
10.1.1 Main Menu	
10.1.2 Xervice Management	
10.1.3 XEUS	
10.1.4 Expand Reports	
10.2 CONFIGURE WORKSTATION TO ACCESS THE MISS	
10.3 PRINTING REPORTS FROM THE WORKSTATION	
11 APPENDIX	
11.1 RESOURCE A CCESS LEVELS	
11.1.1 Trading Tab	
11.1.2 Clearing Tab	
11.1.3 Administration Tab	
11.1.4 Security Tab	

Release 1.0

\_\_\_\_\_

#### Eurex US Security Coordinator/Master Terminal Operator

Security System Description

Page 4

Release 1.0

#### 1 Security System Description

#### 1.1 Responsibilities of the Security System

- **Purpose** *Eurex US* and Member Firms share the responsibility of maintaining the security system. The purpose of the *Eurex US* platform security system is:
  - To protect the Member Firm's data from unauthorized access.
  - To authorize access to the system for each user.

## Duties ofEurex US is responsible for central security surveillance. The following security checks areEurex USmade before every transaction:

- Confirms that the order is entered from a computer system allowed on *Eurex US*.
- Ensures that all user functions are available.
- Ensures that users who are conditionally excluded from trading do not enter orders, quotes, or receive any transfers.
- Ensures that users who are permanently excluded from trading never perform any action on the *Eurex US* platform.

Duties of theThe Member Firms are responsible for authorizing all users and establishing their access rightsMember Firmand limits. These access rights and limits are assigned through the following screens:

Windows	Authorizes user access
Trader Product Assignment	To trade selected products and sets the maximum order quantity per assigned product.
User Security Profile Maintenance	To perform selected functions within the <i>Eurex US</i> platform.

#### Eurex US Security Coordinator/Master Terminal Operator

Security System Description

1.2 Security Profiles

**Description** The **Security Profile** defines which functions are available to an individual user and to which areas of the system access is allowed.

- *Eurex US* Market Supervision prepares a security profile for all users according to their access needs.
- The Member Firms can further restrict the users' predefined security profiles.

Restrictions toEurex US Market Supervision designates Member Firms and their users with a maximum rightSecurityof access. Firms cannot increase a right of access beyond this authorized maximum level.Profile

**User Types** *Eurex US* classifies all users into six types, each with different access rights. These types are:

Туре	Rights
Trader	• Eligible to trade only the products that are designated by the category of his or her membership.
	• Traders may not share their <i>Eurex US</i> platform user accounts with other people within or outside their firm.
	• Each trader may only have user accounts set up in his or her name, i.e. the name under which the membership is held.
	• Each trader must register with the Exchange before obtaining a user account from <i>Eurex US</i> Market Supervision.
	• Traders may not share their <i>Eurex US</i> platform user accounts with other people within or outside their firm.
Terminal Operator	• Eligible to trade only the products that are designated by the category of the Member Firm's membership.
	• Each terminal operator must register with the exchange before obtaining a user account from <i>Eurex US</i> Market Supervision.
	• Terminal Operators may not share their <i>Eurex US</i> platform user accounts with other people within or outside their firm.
	• The Member Firm's Security Coordinator / Master Terminal Operators will assign terminal operators to trade in specific products based on their responsibilities within the firm.

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

Security System Description

Туре	Rights
Security Coordinator	• Each Security Coordinator must register with the exchange before obtaining a user account from <i>Eurex US</i> Market Supervision.
	<ul> <li>Security Coordinators may not share their Eurex US platform user accounts with other people within or outside their firm.</li> </ul>
	• The Security Coordinator will have the ability to assign the firm's user accounts with access to specific <i>Eurex US</i> platform functions or resources. This includes limiting specific trading functions, assigning products and changing the maximum order quantity for a particular user account.
	• The Security Coordinator is responsible for enforcing the <i>Eurex US</i> 's rules and regulations regarding which products may be traded by a specific user type.
	• The Security Coordinator does not have trading rights assigned on <i>Eurex US</i> .
	<ul> <li>Each Member Firm having its own MISS must have at least one Security Coordinator us er account assigned.</li> </ul>

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

Security System Description

Туре	Rights
Master Terminal Operator	<ul> <li>Master Terminal Operators can perform both Security Coordinator and trader functions for the firm. Refer to the above descriptions for an explanation of these roles.</li> </ul>
	• <i>Eurex US</i> recommends separating the Security Coordinator and trader functions, but will support firms who wish to assign one user with both of these roles.

Monitoring NCMs with their own MISS For risk management purposes, the Primary Clearing Member is responsible for monitoring and restricting the trading activities of its Non-Clearing Members (NCMs). In order to impose such restrictions, the Primary Clearing Member should assign a trader and Security Coordinator or a Master Terminal Operator to all Non-Clearing Members with their own MISS (Member Integrated System Server).

Additionally, the Primary Clearing Member's Security Coordinator or Master Terminal Operator is also responsible for the setup of the NCMs user accounts.

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

\_\_\_\_\_

Security System Description

Page 8

Release 1.0

#### 1.3 Description of the User ID

User ID Eurex US Market Supervision will assign each user a User ID and password. The Member Firm's Security Coordinator / Master Terminal Operator must confirm IDs and passwords with each user and reconfirm them with *Eurex US* Market Supervision.

The User ID consists of 11 characters: the five-character Member ID, a three-character subgroup identifier, and a three-character participant ID. The following describes the structure of the User ID:

User ID Structure				
Character Description				
The first 5 characters are the Member ID				
1 – 3	Member firm code			
4 – 5	Location of the firm or member's MISS			
The next 6	characters are the trader ID			
6 – 8	Identifies the user's Subgroup			
9 – 11	Identifies the unique Participant ID of the user			

#### Subgroup Definition

Member Firms have the ability to group their *Eurex US* platform users into **Subgroups**. Users within one subgroup have the ability to view and maintain orders for other users in their group but are restricted from accessing orders or trade activity for users in other subgroups.

- All users within a subgroup are able to view, change or delete (cancel) any order entered by any user within the same subgroup.
- Traders are placed in a subgroup that is personal and unique.
- Terminal Operators are placed in separate subgroups from traders. Setting up Terminal Operators in the same subgroup allows one user to view and maintain open orders for others in the subgroup.

#### Eurex US Security Coordinator/Master Terminal Operator

Security System Description

Release 1.0

Page 9

SubgroupThe use of subgroups creates access restrictions that are an essential part of the MemberAccessFirm's security functions. Subgroup access restrictions:

- Restrictions
   Only members of the subgroup are allowed to access and maintain the subgroup's orders and quotes.
  - Only members of the subgroup are allowed to view the subgroup's current trades.

The firm's Master Terminal Operator and trader are authorized with access to view and modify the activity of all subgroups within the Member Firm through the use of the Change Subgroup function on the *Eurex US* GUI.

*Note:* This function enables authorized users to only view the trading activity of one subgroup at a time.

#### 1.4 Procedure for Adding, Deleting, or Modifying a User ID

**Requirements** It is imperative that firms monitor and verify the accuracy of all User ID information. User IDs are personal to each user and may not be shared or transferred within the firm from one individual to another.

Member firms are required to register all new users who wish system access. Firms must also notify *Eurex US* when users leave the firm or if User IDs must be terminated.

Additionally, the Security Coordinator / Master Terminal Operator is required to change a user's product assignments and/or trading privileges if a user changes his or her membership type.

Firms are required to complete and submit a User ID Addition or Deletion Form, depending on which action is being requested. Both forms and submission instructions are available on the *Eurex US* website at <u>www.eurexus.com</u>, under the *Eurex US* user area.

User IDBased upon the information submitted on the User ID Addition Form, a User ID Signatures FormSignatureis generated for each user being granted one or more User IDs. The form confirms theFormsfollowing information:

- Confirmation of the User ID assignment.
- Attests that each user will adhere to the rules of the exchange.

User IDs will be activated on *Eurex US* within two days after the completion and submission of the User ID Signatures Form.

*Eurex US* Market Supervision will set up each User ID with default access rights according to the user type. The Security Coordinator / Master Terminal Operator may choose to further restrict a user's initial access rights and trading privileges.

### Eurex US Security Coordinator/Master Terminal Operator

Security System Description

Page 10

Release 1.0

When Changes	<ul> <li>Access restrictions become effective immediately. Example: Removing the ability to trade a product.</li> </ul>
Become Effective	<ul> <li>Increasing (not to exceed the Member Firm's maximum existing rights) become effective immediately. Example: Increasing the Maximum Order Quantity.</li> </ul>
User Security Maintenance Reports	The following reports are used to maintain user security. Further explanation of these reports can be found in chapter 7 Security Coordinator Reports.

Report	Description
RPTTT110 User Security Maintenance	Confirms a user's previous day's screen and command changes.
RPTTT115 User Security Status	Displays a user's daily authorization to screens and commands.
RPTTT120 Trader Underlying Maintenance	Confirms all changes made to a user's Trader Product Assignment screen.
RPTTT125 Trader Underlying Status	Displays a user's daily product authorizations.

Eurex US		Release 1.0
Eurex US Se	curity Coordinator/Master Terminal Operator	
Login		Page 11
2	Login	
Objective	The objective of this section is to describe how to log into the GUI to perform Coordinator functions.	the Security
Types of Logins	<ul> <li>There are two methods of logging into the GUI:</li> <li>Directly on the MISS (Member Integrated System Server).</li> <li>Through a workstation.</li> <li>The Member Firm's system administrator will determine which method will be</li> </ul>	e used.
Login	<ul><li>The MISS login requires the following step:</li><li>1. Connecting to the MISS.</li></ul>	
	<ol> <li>The workstation login requires two steps:</li> <li>Starting communications with the MISS.</li> <li>Connecting to the MISS.</li> </ol>	

## 

3 Description of Windows

#### 3.1 Trader Product Assignment

The *Trader Product Assignment Maintenance* window is used to set up product assignments of traders. This functionality can be used by Market Supervision and by members. This window has under the maintenance menu point two additional menu items *Add Product to Subgroup* and *Copy Product Assignment*. These items each display a popup dialogue (child window) to execute additional features. The window is static and therefore not dynamically updated.

DEV: 1	Frader Product	Assign	ment Maintenance		_ 🗆 🗵
<u>W</u> indow	<u>M</u> aintenance	!			<u>H</u> elp
MbrID: F	ULLM			TrdID:	
Product	MaxOrdQty			Product MaxOrd	)ty
Al	9,999				
DC	9,999				
DT	9,999				
DU	9,999			—	
FDAX	9,999		Insert		
FDEC	9,999	33			
FEP1	9,999		I <u>n</u> sert All		
FESX	9,999				
FEU3	9,999				
FGBL	9,999		Remove		
FGBM	9,999		D		
FGBS	9,999		Remove All		
FGBX	9,999				
OAI	9,999			Draduct MayOrd	044
ODAX	9,999				aty
ODC	9,999				
ODEC	9,999			Undefe	
ODT	9,999	-		Update	
Subn	nit		Apply		Cancel
O0000 Successful completion					

Trader Product Assignment Maintenance window:

#### Eurex US Security Coordinator/Master Terminal Operator

#### Description of Windows

The *Trader Product Assignment Maintenance* window is used to enter the products and the respective maximum order quantities that may be traded by a member's traders. It displays the member's tradeable products on the left-hand side in a listbox. On the right-hand side, the product assignments of a specific user can be displayed in a listbox. Between the two listboxes there are buttons to add or delete assignments to/from the selected user. Beneath the right-hand listbox there are edit fields to change the maximum order quantity for a specific product.

#### The Trader Product Assignment Maintenance window is accessible from the Security menu.

When the window is opened, the member's trad eable products are displayed in the left-hand listbox. The right-hand listbox and the field *TrdID* are empty. Only the button *Cancel* is enabled. Initially the focus is on the field *TrdID*.

#### Inquire Product Assignment:

A valid trader ID is entered into the *TrdID* field and the *Enter* key pressed. The right-hand listbox will be filled with the trader's product assignments.

#### Insert Product Assignment:

To insert one or more product assignments, the required products in the left-hand listbox are selected and the *Insert* button clicked. Clicking on the *Insert All* button will add all product assignments in the left-hand listbox to the member's assignment list.

An *Insert* operation always means that the current assignment in the selected product – if already existing – is replaced by the one from the left-hand listbox.

#### Modify Product Assignment:

The maximum order quantity of one or more product assignments can be changed by selecting the desired product(s) in the right-hand listbox. The maximum order quantity can then be edited in the edit field below the listbox. Clicking on the *Update* button accepts the change. The application checks that the user's maximum order quantity is not larger than the member's maximum order quantity.

If more than one product has been selected, the *Product* edit field will be disabled and "\*\*\*\*" will be displayed. Otherwise, the field will be enabled and can be edited. This means that new product assignments can be added by entering a new product ID in this field, a new maximum order quantity in the next field, and afterwards clicking *Update*. The application checks that the entered product ID is part of the associated member's product assignments in the left-hand listbox.

#### Remove Product Assignment:

One or more product assignments of a user can be deleted by selecting the respective products in the right-hand listbox and then clicking on the *Remove* button. Clicking on the *Remove All* button deletes all product assignments.

All the changes of a trader's product assignments (insert, modify, remove) are submitted to the Backend by clicking on *Submit* to close the window or *Apply* to leave the window open. The changes can be cancelled and the window closed without any changes by clicking on *Cancel*.

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

#### Description of Windows

#### Add Product to Subgroup:

A product assignment may be added to a whole subgroup by selecting the menu item *Add Product to Subgroup*. The right-hand listbox and the *TrdID* field will be cleared. The *Add to Subgroup* window appears. A valid subgroup, a valid product ID, and a valid maximum order quantity are entered into the window. Clicking on the *Submit* or *Apply* buttons to executes the operation (Clicking *Submit* closes the window, clicking *Apply* does not). The dialogue will wait for the host response, so the application only continues after the host processing has finished.

#### Copy Product Assignment:

A user's product assignment can be copied to another user or to a whole subgroup by selecting the menu item *Copy Product Assignment*. The right-hand listbox and the *TrdID* field will be cleared and the *Copy Product Assignment* window will appear. A valid trader ID is entered into this window as the source (from) trader and a valid trader ID or subgroup ID is entered for the target (to) trader. Clicking on *Submit* or *Apply* executes the copying operation. The dialogue will wait for the host response, so the application only continues after the host processing has finished.

Assignments displayed in the *Trader Product Assignment Maintenance* listboxes are sorted by product ID.

If an error occurs an exception code is displayed in the message bar.

#### Trader Product Assignment Maintenance - Title

The window title displays the state of the Trader Product Assignment Maintenance. It is a concatenation of the following information represented in strings:

Trader Product Assignment Maintenance – Title		
Item	Description	
Window title	This string contains "Trader Product Assignment Maintenance". If minimized, the window short title is "TPAM".	

#### Trader Product Assignment Maintenance – Menu

Menu Bar	Item	Description	Short Cut
Window	Print	Opens the <i>Print Table</i> window to print all/selection of the listbox.	

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

### Description of Windows

Menu Bar	Item	Description	Short Cut
	Export	Opens a file selection dialogue to specify a file table data is written to.	
	Close	Closes the window without any further action.	<shift-f4></shift-f4>
Maintenance	Insert	See previous paragraph Insert Product Assignment.	
	Insert All	See previous paragraph Insert Product Assignment.	
	Remove	See previous paragraph Remove Product Assignment.	
	Remove All	See previous paragraph Remove Product Assignment.	
	Add Product to Subgroup	See next paragraph Add Product to Subgroup.	
	Copy Product Assignment	See next paragraph Copy Product Assignment.	
Help	On this Window	Opens the Help window.	<f1></f1>

Trader Product Assignment Maintenance – Fields			
Identifier	Туре	Description	Context
MbrID	D	Member ID	
TrdID	E	User ID of the trader	
Product	E/D	Product ID (editable); when more than one product is selected in the right-hand listbox, it will be displayed only (as ****).	*
MaxOrdrQty	E	Maximum order quantity for the product in the Product field.	*

Trader Product Assignment Maintenance – Listbox			
Column	Descri	Description	
Product	Produc	t	
MaxOrdQty	Maxim	um order quantity	
Mouse Usage	Row	Description	
661	A	Calact and accimum ant	

SC-L Any Select one assignment.

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

#### Description of Windows

Release 1.0

Trad er Product Assignment Maintenance – Buttons		
Identifier	Description	
Insert	Add the selected product(s) from left-hand listbox to the trader's product assignment (right-hand listbox). If the product is already assigned, the assignment is replaced.	
	This button is only available when one or more products are selected in the left- hand listbox.	
Insert all	Adds all products from the left-hand listbox to the trader's product assignments in the right-hand listbox. The trader's existing assignments are replaced.	
	This button is only available when the focus is on/in the left-hand listbox, and the listbox is not empty.	
Remove	Delete the selected product from the trader's product assignments.	
	This button is only available when one or more products are selected in the right- hand listbox.	
Remove all	Delete all products from the trader's product assignments.	
	This button is only available when the focus is on/in the right hand listbox, and the listbox is not empty.	
Update	Update the trader's product assignments with the values entered.	
	This button is only available when the edit fields <i>Product</i> and <i>MaxOrdrQty</i> are filled.	
Submit	Submit the assignments to the system, and close the <i>Trader Product Assignment Maintenance</i> window.	
	This button is only available when at least one product is displayed in the right- hand listbox.	
Apply	Submit the assignments to the system, and leave the <i>Trader Product Assignment Maintenance</i> window open.	
	This button is only available when at least one product is displayed in the right- hand listbox.	
Cancel	Close the window without further action.	

#### **Eurex US Security Coordinator/Master Terminal Operator**

Description of Windows

Trader Product Assignment Maintenance – Message Bar		
Mouse Usage	Description	
DC-L	Opens the Window Specific Message Log window.	

#### 3.1.1 Add Product to Subgroup

The Add Product to Subgroup window enables the user to assign a product to a user subgroup.

DEV: Add Product to Subgroup		
Window Help		
Member: CBKFR Subgroup: TRD		
Product: ALV MaxOrdQty: 7000		
<u>S</u> ubmit	Apply	<u>C</u> ancel

Add Product to Subgroup window

The *Add Product to Subgroup* window enables the user to add a new product and associated maximum quantity data to the list of products in which a trader subgroup may trade or to amend the maximum quantity associated with the product.

Although the *Add Product to Subgroup* window is called from the Trader Product Assignment Maintenance window, its operation is independent of the parent window.

The operation of the buttons is as follows:

- Pressing the Submit key submits the data and closes the window. If the product already exists, the
  maximum quantity is updated with the new maximum quantity.
- Pressing the Apply key is the same as pressing the Submit key except that the window remains open after the operation completed.
- Pressing the *Cancel* key closes the window without further action.

If an error occurs an exception code is displayed in the message bar.

#### Add Product to Subgroup - Title

The window title displays the state of the Add Product to Subgroup. It is a concatenation of the following information represented in strings:

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

#### Description of Windows

Add Product to Subgroup – Title		
Item	Description	
Window title	This string contains "Add Product to Subgroup". If minimized, the window short title is "APS".	

#### Add Product to Subgroup – Menu Bar

Menu Bar	Item	Description	Short Cut
<u>W</u> indow	<u>C</u> lose	Closes the window without any further action.	<shift-f4></shift-f4>

Add Product to Subgroup – Fields		
Column	Туре	Description
MbrID	D	Member ID
Product	Е	Product ID
Subgroup	Е	Subgroup
MaxOrdQty	E	The maximum number of contracts which may be traded in one transaction.

Add Product to Subgroup – Buttons		
Column	Description	
Submit	Triggers the "Add Product to Subgroup" operation on the Back End and closes the window.	
Apply	Triggers the "Add Product to Subgroup" operation on the Back End and returns control to the window.	
Cancel	Closes the window without further action.	

Add Product to Subgroup – Message Bar		
Mouse Usage	Description	
DC-L	Opens the Window Specific Message Log window.	

Release 1.0

Eurex US	Release 1.0
Eurex US Security Coordinator/Master Terminal Operator	
Description of Windows	Page 19

#### 3.1.2 Copy Product Assignment

The *Copy Product Assignment* window enables the user to set up the source and target traders prior to copying a Product Assignment list.

DEV: Copy		
Window		Help
Mbrid:	CBKFR	
TrdldFrom:	TRD765	
TrdldTo:	TRD001	
<u>S</u> ubmit	Apply	<u>C</u> ancel

Copy Product Assignment window

The *Copy Product Assignment* window accepts the names of the source ("from") and target ("to") traders and passes them on to the backend for processing. For the last three characters of the target trader ID, a wildcard is accepted.

Although the *Copy Product Assignment* window is called from the Trader Product Assignment Maintenance window, its operation is independent of the parent window.

The operation of the buttons is as follows:

- Pressing the *Submit* key replaces the product assignment list associated with the target trader with that associated with the source trader and closes the window.
- Pressing the *Apply* key is the same as pressing the *Submit* key except that the window remains open after the operation completes.
- Pressing the *Cancel* key closes without further action.

If an error occurs an exception code is displayed in the message bar.

#### Copy Product Assignment – Menu Bar

Menu Bar	Item	Description	Short Cut
<u>W</u> indow	<u>C</u> lose	Closes the window without any further action.	<shift-f4></shift-f4>

3.2

#### Eurex US Security Coordinator/Master Terminal Operator

#### Description of Windows

Copy Product Assignment – Title

Copy Product Assignment – Title			
Item	Description		
Window title	This string contains "Copy Product Assignment". If minimized, the window short title is "CPA".		

Copy Product Assignment – Fields			
Column	Туре	Description	
MbrID	D	Member ID	
TrdIDFrom	Е	Trader ID from which the product list should be copied.	
TrdIDTo	E	Target Trader ID (The list is copied to this trader).	

Copy Product Assignment – Buttons			
Column	Description		
Su <u>b</u> mit	Triggers the " <i>Copy Product Assignment</i> " operation on the Back End and closes the window.		
Apply	Triggers the "Copy Product Assignment" operation on the Back End and returns control to the window.		
<u>C</u> ancel	Closes the window without further action.		

Copy Product	Assignment – Message Bar
Mouse Usage	Description
DC-L	Opens the Window Specific Message Log window.

**User Security Profile Maintenance** 

The User Security Profile Maintenance window allows members to display and maintain security profiles of users.

Release 1.0

Eurex US	Release 1.0
Eurex US Security Coordinator/Master Terminal Operator	
Description of Windows	Page 21

DEV: TRD001 - User Security Profi	ile Maintenance		
Window			Help
MbriD: FULLM TrdiD: TRD001  Reset Passw	ord		
Trading Clearing Security	Administration		
Description	ID AccLev		
Order Inquiry	130 1		
Combination Order Inquiry	131 1		
Inside Market	132 1		
Extended Inside Market	133 1		
Quote Inquiry	134 1		
Combination Quote Inquiry	135 1		
Own Trade Inquiry	138 1		
Trade Inquiry for Related Non-Clearer	139 1		
Ticker Inquiry	140 1		
User Details	141 1		
Ext Contr Data	145 1		
Time and Sales Sheet	146 1		
EFP Trade Entry	150 0		-
Description:	ID:	AccLev:	Update
Submit	Ар	ply	<u>C</u> ancel
1 00000 Successful completion			

User Security Profile Maintenance window

The *User Security Profile Maintenance* window is used to control the access of users to the exchange's functions. It displays the system functions and the user's current access levels in several tabs. The tabs group the functions by functional areas.

If the window is opened, the member ID is displayed in the field *MbrID* (for non-Market Supervision users this field is read-only). The tabs are empty. Only the button *Cancel* is enabled. The focus is on the *TrdID* field.

#### Inquire User Access Levels

A valid user ID is entered in the *TrdID* field and the *Enter* key pressed. The tabs will be filled with the user's access levels. For more information please refer to the Appendix.

#### Modify User Access Levels:

#### Eurex US Security Coordinator/Master Terminal Operator

#### **Description of Windows**

To modify a function's access level, it is first selected in the listbox. The values from the selected row will be displayed in the edit line beneath the listbox. The valid range of values for each Access Level (0,1 or 0–3) varies from Access Level to Access Level. A context-sensitive menu lets the user select from one of the valid values. Clicking on *Update* accepts the new value.

All changes of a user's access levels are submitted to the backend by clicking on *Submit* or on *Apply*. The host will check that a user does not get a higher access level than Market Supervision has granted the member with whom he is associated.

The operation may be canceled by the clicking on Cancel.

If an error occurs, an exception code is displayed in the message bar.

#### User Security Profile Maintenance - Title

The window title displays the state of the User Security Profile Maintenance. It is a concatenation of the following information represented in strings:

User Security Profile Maintenance – Title			
Item	Description		
Window title	This string contains "User Security Profile Maintenance". If minimized, the window short title is "USPM".		

#### User Security Profile Maintenance - Menu Bar

Menu Bar	Item	Description	Short Cut
Window	Save Settings	Saves the current settings (only the size and position of the window).	<ctrl-s></ctrl-s>
	Clear Settings	Clears the current settings.	
	Print	Opens the <i>Print Table</i> window to print all/selection of the listbox.	
	Export	Opens a file selection dialogue to specify a file table data is written to.	
	Close	Closes the window without any further action.	<shift-f4></shift-f4>
Help	On this Window	Opens the Help window.	<f1></f1>

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

#### **Description of Windows**

User Security Profile Maintenance – Fields			
Identifier	Туре	Description	СМ
MbrID	D	Member ID	
TrdID	E	User whose securities profile should be changed.	
Reset Password	Checkbox	If checked, the user's password will be reset. This functionality is related to a special resource "Password Reset". This resource is not displayed in the Security Profile listboxes.	
Description	D	Short description of the function.	
ID	D	The new resource ID.	
AccLev	E	Access Level – Valid values are (0, 1) or (03) * depending on the Access Level concerned.	

User Security Profile Maintenance – Buttons					
Identifier	Description				
Update	Updates the assignments with the values entered.				
Submit	Submit the assignments to the system, and close the window.				
Apply	Submit the assignments to the system, and leave the window open.				

Cancel Close the window without further action.

User Security Profile Maintenance – Message Bar					
Mouse Usage	Description				
DC-L	Opens the Window Specific Message Log window.				

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

Monitoring User Activity

4 Monitoring User Activity

Introduction The ability to monitor user activity is essential to risk management. To monitor user activity, the traders / Master Terminal Operator needs to log into the *Eurex US* platform and use the *Change Subgroup* function. Change Subgroup is accessible from the *Own Order Overview*, *Own Quote Overview*, and *Own Trade Overview* windows. Change Subgroup is also available from all trading windows. This chapter will describe the process of how to access the Change Subgroup function.

*Note:* When setting up the User IDs for every trader and Master Terminal Operator, *Eurex US* Market Supervision gives them the ability to view the activity of any subgroup within the Member Firm. The Security Coordinator / Master Terminal Operator has the responsibility of determining who should retain this right.

#### 4.1 Change Subgroup Window

**Change** The following is an illustration of the *Change Subgroup* window.

Subgroup Window

DEV: Change	Subgroup 💶 💌
<u>W</u> indow	Help
Exch: XEUS	SubGrp:
<u>o</u> ĸ	Cancel

Change Subgroup

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

#### Monitoring User Activity

Menu Bar	Item	Description	Short Cut					
Window	Close	Closes the window without any further action.	<shift-f4></shift-f4>					
Help	On this Window	Opens the Help window.	<f1></f1>					
Change Subg	roup – Fields							
Identifier	Туре	Description	СМ					
Exch	D	Exchange Code						
SubGrp	E	Subgroup ID						
Change Subg	roup – Buttons							
Identifier	Description							
ОК	Submits the	Submits the entry to the calling window and closes the Change Subgroup window.						
Cancel	Close the w	Close the window without further action.						

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

Monitoring User Activity

4.2 Viewing Orders

ViewingA trader or Master Terminal Operator can view the orders of another subgroup by opening theOrdersChange Subgroup window from the Select menu of Own Order Overview.

To view the orders of a different subgroup, perform the following steps:

Step	Action	
1	Log into the Eurex US platform.	
	<b>Result:</b> Initial windows will be displayed.	
2	Single left click on the Own menu in the Main Menu.	
	<i>Result:</i> Displays the <i>Own Menu.</i>	
3	Single left click on Own Order Overview.	
	<b>Result:</b> Displays the Own Order Overview window.	
4	Single left click on the Select menu.	
	<b>Result:</b> Displays the Select Menu.	
	DEV: Own Order Overview	
	<u>Window Select Order Columns</u>	Help
	In the International Subgroup	
	Exch: KEUS Contract: Add	4
	Exch Contract 2ndLeg Comb B/S O/C RemQty ExecQty Act Status Limit OrdTyp Trader	sin <u>g</u>
	Modi	fy
	Dele	ete
	90041 No filter selected	
	Own Order Overview window	

Release 1.0

# Eurex US Eurex US Security Coordinator/Master Terminal Operator Monitoring User Activity

Action Step Single left click on Subgroup. 5 **Result:** Displays the Change Subgroup window. DEV: Change Subgroup 💶 🗖 🗙 Window Help Exch: XEUS SubGrp: OK Cancel Change Subgroup window 6 Type the Subgroup ID you want to view in the Subgroup field. Single left click on the OK button. 7 Result: Closes the Change Subgroup window and displays the selected subgroup in the Own Order Overview window header. The changed subgroup only applies to the active window. All other windows are not affected. . The change of subgroup also affects any entry window opened from the changed window where the subgroup was changed. The changed subgroup also displays in the window header.

#### 4.2.1 Order Audit Trail

This window allows an inquiry on the retransmission of Single and Double Leg Order Confirmation broadcasts that are collected on the MISS, in order to retrieve information about a certain order. A Trading Filter-style filter window is provided to enter the filter data. Inquiry is only possible for the current trading day and for the trader-ID and subgroup of the currently logged in user. The user can select a different participant number via the filter window.

The GUI uses the given filter criteria to narrow down the amount of displayed data that will be shown in the listbox. The listbox is sortable and provides the print/export facility. Default sorting is by Date/Time and OrdNo descending. A request -running indicator informs the user that the inquiry is still running.

The user can access this window via the "Own" menu in the Main Menu between the "Own Trade Overview" and "Last Order Maintenance".

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

#### Monitoring User Activity

Dr	der Audit Trail																		_ 🗆 ×
Winde	ow <u>S</u> elect Col <u>u</u> mns	;																	Help
	🖉 🖻 🛛 🔻 🛛 i	to to	<u>m</u> m																
Exch	Contract	2ndLeg	Comb	B/S O/	C RemQt	y ExecQty Act	Limit	OrdTyp	TrnTyp	Trader	OnBehalf (	Curr Res	Validity	OrdNo	OldOrdNo	Date	Time	CigMbr	
XEUR	C ALV DEC02 26000			BC	; 7	2 G1	20.04	L	A	TRD001	E	UR	GTC	277166710		18.12.2002	13:33:29		
XEUR	C ALV DEC02 26000			S C	) 7	3 A1	24.19	L	A	TRD001	E	UR	GTC	277169542		18.12.2002	13:47:56		
XEUR	C ALV JAN03 24000			B	1	0 G1	20.70	L	A	TRD001	E	UR	GTC	277168367		18.12.2002	13:41:56		
XEUR	C ALV JAN03 24000			B	5	9 P1	20.91	L	A	TRD001	E	UR	GTC	277169033		18.12.2002	13:45:22		
XEUR	C ALV JAN03 24000			B	) 8	6 P2	21.79	L	A	TRD001	E	UR	GTC	277165424		18.12.2002	13:26:36		
XEUR	C ALV JAN03 24000			B	) 5	6 38 P2	22.67	L	A	TRD001	E	UR	GTC	277165100		18.12.2002	13:24:52		
XEUR	C ALV JAN03 24000			B	) 1	2 P2	23.66	L	A	TRD001	E	UR	GTC	277169260		18.12.2002	13:46:31		
XEUR	C ALV JUN03 26000			S C	2 4	6 G1	24.46	L	A	TRD001	E	UR	GTC	277165629		18.12.2002	13:27:42		
J																			

#### Order Audit Trail window

#### Order Audit Trail – Title

The window title displays the state of the Order Audit Trail. It is a concatenation of the following information represented in strings:

Order Audit Trail – Title					
Item	Description				
Window title	This string contains "Order Audit Trail". If minimized, the window short title is "OAT".				

#### Order Audit Trail - Menu Bar

The Trading Board menu bar is only displayed if the Trading Board only shows an empty panel or an empty panel has the focus.

Menu Bar	Item	Description	Short Cut
Window	Save Settings	Saves the window size and position together with the configuration of the listbox. Filter settings are not stored.	<ctrl-s></ctrl-s>
	Clear Settings	Clears the current settings	
	Sort	Opens the <i>Sort Table</i> dialog to configure the listbox sorting order.	
	Find	Opens the <i>Find</i> dialog to start a search over the content of the listbox.	<ctrl-f></ctrl-f>

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

#### Monitoring User Activity

Menu Bar	Item	Description	Short Cut		
	Print	Opens the <i>Print Table</i> window to print all or a selection of the listbox.			
	Export Opens the <i>Export Table</i> dialog to select a file that is used to export the content of the listbox in a CSV format.				
	Close	Close the window without further action.	<ctrl-f4></ctrl-f4>		
Select	Trading Filter	Opens the Filter window to start an inquiry on the Order Audit Trail window.			
Columns	Delete	Removes the selected column (s) from the listbox.	<ctrl-d></ctrl-d>		
	Add all	Includes all of the columns in the listbox	<ctrl-a></ctrl-a>		
	Select Columns	Opens the Column Selection window.			
	Freeze	Freezes the selected columns in the listbox.			
	Unfreeze all	Unfreezes all of the columns in the listbox.			
Help	On this window	Opens the Help window for this Trading Board window.	<f1></f1>		

Order Audit Trail - Listbox								
Column	Displayed data							
Exch	Exchange identifier							
Contract	Contract or product identification							
2ndLeg	Second leg of combination contract							
Comb	Combination type							
B/S	Buy/Sell indicator							
O/C	Opening or closing of a position							
RemQty	Remaining quantity of the order							
ExecQty	Executed quantity of the order							
Act	Account type							
Limit	Price of the order ('M' indicates that the order is a market order)							
OrdTyp	Order type							

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

#### Monitoring User Activity

Page 30

Order Audit Trail - Listbox					
Column	Displayed data				
TrnTyp	'A' order add, 'D' order delete, 'C' order change, 'M' order matched.				
	These codes are identical to that of MNT COD of RPTTC540.				
Trader	This is the subgroup and participant number of the currently logged in trader that has submitted the OTA request, it is always displayed.				
OnBehalf	The On-Behalf-Of member for which this order was entered. This field is empty if it is equal to Trader.				
Curr	The currency that is assigned to the product. This information is no part of the response.				
Res	Restriction code ('S' stop loss, 'l' immediate or cancel, 'F' fill or kill)				
Validity	Expiration date of the order				
OrdNo	Order number				
OldOrdNo	The new order number that is given from the backend if the Limit or Qty has been changed by an Order modification.				
Date	Date of the order entry.				
Time	Front end generated timestamp of the queuing of the order entry request.				
ClgMbr	The clearing member				
CustAct	Customer Account				
СТІ	СТІ				
Origin	Origin				

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

Monitoring User Activity

4.3 Viewing Quotes

ViewingA trader or Master Terminal Operator can view the quotes of another subgroup by opening theQuotesChange Subgroup window from the Select menu of Own Quote Overview.

To view the quotes of a different subgroup, perform the following steps:

Step	Action	
1	Log into the Eurex US platform.	
	<b>Result:</b> Initial windows will be displayed.	
2	Single left click on the Own menu in the Main Menu.	
	<b>Result:</b> Displays the Own Menu.	
3	Single left click on Own Quote Overview.	
	<b>Result:</b> Displays the Own Quote Overview window.	
4	Single left click on the Select menu.	
	<b>Result:</b> Displays the Select Menu.	
	DEV: Own Quote Overview	
	Window Select Quote Columns	Help
	Trading Filter	
	Exch: XEUS Contract:	<u>A</u> dd
	Trader Exch Contract 2ndLeg Comb BidTime AskTime BidOrdNo AskOrdNo RemBidQty E	Add <u>S</u> trategy
		Add Using
		Delete
		Mass Hold
		Release
	90041 No filter selected	
	Own Quote Overview window	

Release 1.0

Eurex US
Eurex US Security Coordinator/Master Terminal Operator
Monitoring User Activity

Step	Action									
5	Single left click on Subgroup.          Result: Displays Change Subgroup window.         DEV: Change SubgroupX									
	<u>W</u> indow <u>H</u> elp									
	Exch: XEUS SubGrp:									
	<u>O</u> K <u>C</u> ancel									
	Change Subgroup window									
6	Type the Subgroup ID you want to view in the Subgroup field.									
7	Single left click on the <i>OK</i> button.									
	Result:									
	• Closes <i>Change Subgroup</i> window and displays the selected subgroup in the <i>Own Quote Overview</i> window header.									
	<ul> <li>The changed subgroup only applies to the active window. All other windows are not affected.</li> </ul>									
	• The change of subgroup also affects any entry window opened from the changed window where the subgroup was changed. The changed subgroup also displays in the window header.									

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

Monitoring User Activity

4.4 Viewing Trades

ViewingA trader or Master Terminal Operator can view the trades of another subgroup by opening theTradesChange Subgroup window from the Select menu of Own Trade Overview.

To view the trades of a different subgroup, perform the following steps:

Step	Action									
1	Log into the Eurex US platform.									
	Result: Initial windows will be displayed.									
2	Single left click on the Own menu in the Main Menu.									
	Result: Displays the Own Menu.									
3	Single left click on the Own Trade Overview.									
	Result: Displays the Own Trade Overview window.									
4	Single left click on the Select menu.									
	Result: Displays the Select Menu									
	DEV: Uwn Trade Uverview									
	Exch: KEUS Contract: TimeFrom: TimeTo:									
	Exch Contract Comb OrdQty ExcQty Prc B/S O/C P/F Trader Act TrdNo OrdNo OrdDat TrdTyp OrdTyp Res Trd									
	AccBuyQty AvgBuyPrice AvgSellPrice AccSellQty Calculate									
	Clear									
	1) 000/11 No filter selected									
	Our Trade Quer inumindam									

Release 1.0

Eulex 03	
Eurex US Security Coordinator/Master Terminal Operator	

Step Action Single left click on Subgroup. 5 Result: Displays Change Subgroup window. > DEV: Change Subgroup 📮 🗖 🗙 Window Help Exch: XEUS SubGrp: OK Cancel Change Subgroup window 6 Type the Subgroup ID you want to view into the Subgroup field 7 Single left click on the OK button. Result: Closes Change Subgroup window and displays the selected subgroup in the Own • Trade Overview window header. . The changed subgroup only applies to the active window. All other windows are not affected. The change of subgroup also affects any entry window opened from the changed window where the subgroup was changed. The changed subgroup also displays in the window header.

#### **Private Broadcast Streams** 4.5

Viewing A trader or Master Terminal Operator of a Primary Clearing Member (PCM) can arrange to **NCM Activity** monitor the activity of a Non Clearing Member (NCM) by subscribing to the private broadcast streams of the NCM. Talk to your System Administrator about coordinating this process.

Release 1.0

Page 34

#### Eurov LIS

Monitoring User Activity

5

of Trading

Rights

#### Eurex US Security Coordinator/Master Terminal Operator

**Revocation of Trading Rights** 

#### Revocation of Trading Rights

**Revocation** There are three ways to remove the trading rights of a user:

- Remove trading authorization.
  - Remove product authorization.
  - Remove access to the Eurex US platform.

#### 5.1 Remove Trading Authorization

**Procedure** The following is the procedure for a member firm to remove a user's trading authorization:

The member firm's must complete a User ID Deletion Form and send it to Functional Member Readiness. The form and submission instructions are available on the *Eurex US* website at <u>www.eurexus.com</u>, under the *Eurex US* user area.

Note: This should be done for every user who is no longer employed by or trading through the member firm.

#### 5.2 Remove Access to the Eurex US platform

ProcedureThe Security Coordin ator / Master Terminal Operator can remove users' access to the Eurex<br/>US platform by denying their ability to log into the system through the User Security Profile<br/>Maintenance window.

Note: This only prevents users who are not already logged in from logging into the system.

# CancelCancel the user's working orders that may have been entered prior to removing a user'sWorkingaccess to the Eurex US platform.Orders

Release 1.0

Eurex US	Release 1.0
Eurex US Security Coordinator/Master Terminal Operator	
Member Report Selection	Page 36

6 Member Report Selection

#### 6.1 Report Selection

The *Report Selection* window allows the user to select certain reports, which are generated and sent to the member during End of Day processing.

DEV: Report Selection												
Winde	Window Columns Help								,			
Exch	RptID	Prod	Freq	Rpth	lame	Loc	StdRpt	RawRpt	HistDate	HistStdRpt	HistRav	
XEUS	RPTT530	FESX	D	DAILY QUOTE	MAINTENANCE	С	Y				-	۱.
XEUS	RPTTA110		D	CONTRACT M/	AINTENANCE	С	N				8	1
XEUS	RPTTC530	Al	D	DAILY QUOTE	MAINTENANCE	С	N					
XEUS	RPTTC530	DC	D	DAILY QUOTE	MAINTENANCE	С	N					
XEUS	RPTTC530	DT	D	DAILY QUOTE	MAINTENANCE	С	N					
XEUS	RPTTC530	DU	D	DAILY QUOTE	MAINTENANCE	С	N					
XEUS	RPTTC530	FDAX	D	DAILY QUOTE	MAINTENANCE	С	Y					-
XEUS	IRPTTC530	IFDEC		DAILY QUOTE	MAINTENANCE	C	N SCOCCOSCO					-
100000		000000000	0000000			100000	1					-
His	tory			Report	1							
	Standard			Standard								
	] Raw Data			🗌 Raw Data								
Da	te:				U <u>p</u> date							
	Su <u>b</u> mit				Apply					<u>C</u> a	incel	
😲 00000 Successful completion												

#### Report Selection window

The *Report Selection* window allows the user to select certain reports, which are generated and sent to the member during End of Day processing. Multiple selections are possible.

Some reports can be obtained in two different types: formatted or raw data. If raw data reports are not available, the *RawRpt* listbox entry is empty.
#### Eurex US Security Coordinator/Master Terminal Operator

#### Member Report Selection

Periodical reports can be requested by selecting one or more reports listed in the Report Selection listbox, checking the *Standard* checkbox (for a formatted report), the *Raw Data* checkbox (for a raw data report, when appropriate) or both and then clicking the *Update* button. Daily and monthly reports are available.

Historical reports can be requested up to four business days before the current day by selecting one or more reports listed in the Report Selection listbox, checking the *Standard* checkbox (for a formatted report), the *Raw Data* checkbox (for a raw data report, when appropriate) or both, entering a date in the *Date* field and then clicking *Update*. The dates for which historical reports have been requested are only kept on the back end.

The requests are submitted by pressing the *Submit* button, which also closes the *Report Selection* window. Pressing *Apply*, the requests are sent and the window remains open.

In the *Location* radio button group, the user can select to which location the data will be sent; valid choices are the Clearing and Trading locations. For periodical reports, the preselected location is displayed as an acronym in the listbox's *Loc* column.

The information is sorted by report ID.

If an error occurs an exception message is displayed in the message bar.

#### **Report Selection – Title**

The window title displays the state of the Report Selection. It is a concatenation of the following information represented in strings:

Report Selection	on – Title
Item	Description
Window title	This string contains "Report Selection". If minimized, the window short title is "RS".

#### Report Selection – Menu Bar

Menu Bar	Item	Description	Short Cut
Window	Save Settings	Saves the current settings.	<ctrl-s></ctrl-s>
	Clear Settings	Clears the current settings.	
	Print	Opens the <i>Print Table</i> window to print all/selection of the listbox.	

Release 1.0

# Eurex US Security Coordinator/Master Terminal Operator

## Member Report Selection

Menu Bar	Item	Description	Short Cut
	Export	Opens a file selection dialogue to specify a file table data is written to.	
	Close	Closes the window without any further action.	<shift-f4></shift-f4>
Columns	Delete	Removes selected columns from listbox	<ctrl+d></ctrl+d>
		Enabled if one or more columns are selected.	
	Add all	Includes all columns in the listbox.	<ctrl+a></ctrl+a>
	Select Columns	Opens the Column Selection window.	
	Freeze	Freezes the selected columns in the listbox.	
	Unfreeze all	Unfreezes all of the columns in the listbox.	
Help	On this Window	Opens the Help window	<f1></f1>

Report Selection - Listbox			
Column	Description		
Exch	Exchange Identification		
RptID	Report ID		
Prod	Product		
Freq	Delivery frequency		
RptName	Report long name		
Loc	Location		
StdRpt	Standard Report		
RawRpt	Raw Data Report		
HistDate	Historical Report Date		
HistStdRpt	Historical Standard Report		
HistRawRpt	Historical Standard Report		
Mouse Usage	Row Description		

SC-L Any Select one report.

Release 1.0

# Eurex US Security Coordinator/Master Terminal Operator

## Member Report Selection

Report Selection – Fields					
Identifier	Туре	Description	СТ		
MbrID	D	Member ID			
History/Standard	S	Request a standard history report for the selected report.			
History/Raw Data	S	Request a raw data history report for the selected report.			
Date	Е	Date for which a historical report is desired.			
Report/Standard	S	Request a standard report for the selected report.			
Report/Raw Data	S	Request a raw data report for the selected report.			
Mouse Usage	Field	Description			
SC-R	Date	11 dates appear in a selection box (10 days before the current business day and the current business day).			

Report Selection - Buttons					
Identifier	Description				
Update	Update the listbox with the new requests for the selected report.				
Submit	Submit the report selection criteria, updated before in the listbox, to the trading system and close the <i>Report Selection</i> window.				
Apply	Apply the report selection criteria, updated before in the listbox, to the trading system and leave the <i>Report Selection</i> window open.				
Cancel	Close the window without further action.				

Report Selection - Message Bar			
Mouse Usage	Description		
DC-L	Opens the Window Specific Message Log window.		

Release 1.0

#### Eurex US Security Coordinator/Master Terminal Operator

Security Coordinator Reports

7 Security Coordinator Reports

### 7.1 User Security Maintenance Report

#### **Description** Report Code: **RPTTT110**

The User Security Maintenance report contains a list of all changes made to a user's screens and commands from the preceding day. Each screen or command change involved is indicated on a line after the user's ID. It also indicates which function key (Add, Change, or Delete) was used to change the user profile.

XEUS RPTTT110 EXCHANGE MEMBER: ABCFR <b>(1)</b>	USER SECURITY M	AINTENANCE			PAGE: AS OF DATE: RUN DATE:	1 02-02-99 02-02-99
PARTICIPANT ID UPDATE SUB NAME TIME CODE RESOURCE	RESOURCE NAME	BEFORE MAINTENANCE	AFTER MAINTENANCE S	ECURITY	COORDINATOR ID	DATE OF PREV UPD
(2)     (3)     (4)     (5)     (6)       SUP     002     12:20:23     A     E030       12:20:23     A     D010       12:20:23     A     D050	(7) TRADE INQUIRY REV & ADD CONT NEWS BOARD SUM	(8) 0 0 0	(9) 2 2 1	(1		(11)
TOTAL MAINTENANCE FOR PARTICIPANT II	):	SUP102 <i>(12</i>	2) ADDITIONS DELETIONS CHANGES	: 3 : 0 : 0	(13) (14) (15)	
SUP 003 13:43:18 C E030 13:44:43 D D020 TOTAL MAINTENANCE FOR PARTICIPANT II	TRADE INQUIRY MAINT. UNDER.	1 2 SUP103	3 0 ADDITIONS DELETIONS CHANGES	: 0 : 1 : 1	(13) (14) (15)	
TOTAL MAINTENANCE FOR EXCHANGE MEMBI	ER ID:	ABCFR <i>(16)</i>	ADDITIONS DELETIONS CHANGES	: 3 : 1 : 1	(17) (18) (19)	
	***END OF	REPORT***				

User Security Maintenance

Release 1.0

## Eurex US Security Coordinator/Master Terminal Operator

Security Coordinator Reports

Page 41

#### Fields

Description of the fields contained in this report:

Ref	Field	Field name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	SUB	Subgroup	Subgroup code
3	NAME	Participant ID	Unique value within subgroup
4	TIME	Time	Indicated in Greenwich mean
			time
5	UPDATE CODE	Code for the type of	• A – Add
		change	C – Change
			• D – Delete
6	RESOURCE	Screen/	Screen/Command code
		Command	
7	RESOURCE NAME	Name of screen	Name of screen command
8	BEFORE MAINTENANCE	Old access	Trade Support and Trading
		authorization	screen authorization levels
9	AFTER MAINTENANCE	New access	Trade Support and Trading
		authorization	screen authorization levels
10	SECURITY	Security Coordinator ID	The Security Coordinator's ID
	COORDINATOR ID		who made the change
11	DATE OF PREV UPD	Date of Previous	Date of last change
		update	
12	TOTAL MAINTENANCE	Participant ID	The Participant ID code
	FOR PARTICIPANT ID		
13	ADDITIONS	Number of additions	Total number of
			screens/commands added for
			this user
14	DELETIONS	Number of deletions	l otal number of
			screens/commands deleted for
15		Number of changes	this user
15	CHANGES	Number of changes	scroops/commands changed for
			this user
16	TOTAL MAINTENANCE	Member Firm ID	Member ID
10	FOR EXCHANGE	Member I IIII ID	Member ID
17	ADDITIONS	Number of additions for	Total number of
		Member Firm	screens/commands added for the
			Member Firm
18	DELETIONS	Number of deletions for	Total number of
		Member Firm	screens/commands deleted for
			the Member Firm
19	CHANGES	Number of changes for	Total number of
		Member Firm	screens/commands changed for
			the Member Firm

### 7.2 User Security Status Report

#### Description Report Code: RPTTT115

The User Security Status report contains a list of all user profiles for a participating Member Firm. The report provides a complete overview of the access authorizations that the firm's users have to screens and commands.

XEUS RPTTT115			USER SECURITY STATUS	AS R	PAGE: 1 OF DATE: 05-02-00 UN DATE: 05-02-00	
EXCHANGE MEMBER:	ABCFR (1) A	ABC BANK	CORPORATION (2)			
	PARTICII SUB	ANT ID NAME	SECURITY RESOURCE	RESOURCE NAME	SECURITY STATUS	
	(3)	(4)	(5)	(6)	(7)	
	LTR	001	3629	INQ USR DETAIL	1	
			6218	SETTL PRC INQ	1	
			3628	INQ BO INFO	1	
			INOT	OWN TRADES	1	
			INTR	INQUIRE TRADE	1	
			***END OF REPORT**			

User Security Status

Fields

Description of the fields contained in this report:

Ref	Field	Field Name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	FIRM NAME	Member Firm Name	Name of exchange participant
3	SUB	Subgroup	Subgroup code
4	NAME	Participant ID	Unique value within subgroup
5	SECURITY	Screen/	Screen/Command code
	RESOURCE	Command	
6	RESOURCE NAME	Name of screen	Name of screen command

# Eurex US Security Coordinator/Master Terminal Operator

Security Coordinator Reports

Release 1.0

Def	Field	Field News	Dea		
Ret	Field	Field Name	Description		
7	SECURITY STATUS	Access Authorization	Up to dateaccess authorization		
			Trading and Support	0 – Access not allowed.	
			Screens Access Levels:	1 – Only Inquiry. 2 – Inquiry, Add, and Change allowed.	
				3 – Inquiry, Add, Change, and Delete allowed.	
			Command Screens Access Levels:	0 – Not allowed to use this command or call up the screen 1 – Allowed to use this command or	
				call up the screen	

### Eurex US Security Coordinator/Master Terminal Operator

Security Coordinator Reports

### 7.3 Trader Underlying Maintenance Report

#### Description Report Code: RPTTT120

The Trader Underlying Maintenance report contains a list all the changes made to the *Trader Product Assignment* window on the preceding day. Each product that was added, deleted, or had the maximum order quantity changed will be indicated on one line after the user's ID.

The *PARTICIPANT ID SUB* and *NAME* fields will be blank if changes have been made to the Member Firm's product assignments.

XEUS RPTTT120			TRADER	UNDERLYING MA	INTENANCE			AS	PAG OF DAT RUN DAT	E: 1 E: 05-02-00 E: 05-02-00	
EXCHANGE PARTIC SUB	MEMBER: A IPANT ID NAME	BCCH (1) SECURITY CODE	BANK ONE (2) SECURITY NAME	MAX-ODR QUANTITY	UPDATE CODE	UPDATE TIME	SECUTITY CO	ORDIN	ATOR ID	DATE OF PREV UPD	
(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10	 )		(11)	
SUP	102	ZD	DOW JONES	1500	Δ	12:20:23	ABCCH	, 59C	0.01	00-00-00	
SUP	102	ZC	CORN	200	C	12:20:23	ABCCH	59C	001	00-00-00	
SUP	102	ZB	US BOND	500	D	12:20:23	ABCCH	S9C	001	00-00-00	
TOTAL MAI	NTENANCE	FOR PARTIC	IPANT ID:	SUP102 (	12)	ADDIT CHANG DELET	TIONS: EES: TIONS:	1 1 1	(13) (14) (15)		
TOTAL MAI	NTENANCE	FOR EXCHAN	GE MEMBER ID:	ABCFR <i>(1</i>	6)	TOTAL TOTAL TOTAL	ADDITIONS: CHANGES: DELETIONS:	1 1 1	(17) (18) (19)		
***END OF REPORT***											

Trader Underlying Maintenance

Fields

Description of the fields contained in this report:

Ref	Field	Field name	Description		
1	EXCHANGE MEMBER	Member Firm ID	Member ID		
2	FIRM NAME	Member Firm Name	Name of exchange participant		
3	SUB	Subgroup	Subgroup code		
4	NAME	Participant ID	Unique value within subgroup		
5	SECURITY CODE	Product ID	Product code name		
6	SECURITY NAME	Name of product	Name of product		
7	MAX ODR QUANTITY	Maximum order quantity	Largest size of an order for the product		

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

#### Security Coordinator Reports

Ref Field Field name Description UPDATE CODE Code for the type of change A – Add 8 C – Change D - Delete UPDATE TIME Time of update 9 Indicated in Greenwich mean time SECURITY Code of Security Coordinator Security Coordinator user ID 10 COORDINATOR ID who made the change DATE OF PREV UPD Date of previous update Date of previous change 11 12 TOTAL MAINTENANCE Participant ID Participant ID code FOR PARTICIPANT ID ADDITIONS 13 Number of additions Total number of products added for this user CHANGES Total number of products 14 Number of changes changed for this user 15 DELETIONS Number of deletions Total number of products deleted for this user Member firm ID 16 TOTAL MAINTENANCE Member firm ID code FOR EXCHANGE MEMBER ID TOTAL ADDITIONS 17 Number of additions Total number of products added for the Member Firm Total number of products TOTAL CHANGES 18 Number of changes changed for the Member Firm TOTAL DELETIONS Total number of products 19 Number of deletions deleted for the Member Firm

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

Release 1.0

Page 46

Security Coordinator Reports

# 7.4 Trader Underlying Status Report

#### Description Report Code: RPTTT125

The Trader Underlying Status report contains a list of all products that each authorized user is allowed to trade and the maximum order quantity for each product.

XEUS RPTTT125 EXCHANGE MEMBER: ABCFF	R (1)	TRADER UNI	DERLYING STATUS ORATION (2)	PAGE: 1 AS OF DATE: 16-11-99 RUN DATE: 16-11-99	
PARTICI SUB	PANT ID NAME	SECURITY CODE	SECURITY NAME	MAX-ODR QUANTITY	
(3) TRD	<b>(4)</b> 004	(5) OZD OZC OZB	(6) OPT ON DOW JONES IND OPT ON CORN OPT ON US BOND	(7) 1500 8000 1200	
TOTAL UNDERLYINGS PER	TRADER:	(8) OZN	3 OPT ON US 10YR NOTE	- 500	
TOTAL UNDERLYINGS PER	TRADER:	OZW	OPT ON WHEAT 2	9999	

Trader Underlying Status

#### Fields

Description of the fields contained in this report:

Ref	Field	Field name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	FIRM NAME	Member Firm Name	Name of exchange participant
3	SUB	Subgroup	Subgroup code
4	NAME	Participant ID	Unique value within subgroup
5	SECURITY CODE	Code of product	ID code of the product
6	SECURITY NAME	Name of product	Name of product
7	MAX ODR QUANTITY	Maximum order quantity	Largest size of an order for the product
8	TOTAL UNDERLINGS PER TRADER	Number of products	Total number of products assigned to this user

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

#### 8 User Reports

## 8.1 Daily Trade Confirmation

#### **Description** Report Code: **RPTTC810**

The Daily Trade Confirmation report contains an inventory of all the trades of a Member Firm matched during a trading day. A new page is started each time the subgroup, account, or contract changes.

XEUS RPTTC810					DAILY	TRAI	DE CONF	IRMAI	ION					PA AS OF DA RUN DA	GE: FE: 05-02 FE: 05-02	1 ⊱00 ⊱00	
EXCHANGE M TRADER ID:	IEMBER: 1	BANCH <b>(1)</b> FRD001 <b>(2)</b>					CONTI	RACT:	(3)(4 C OZ	<b>1)</b> B	(SEPT	5) 00	<b>(6) (</b> 9600	7) (8)	ACCOUNT:	A1(9)	
TRN TIME	TRNS ID	ORDER NO	B/S	0/C	EXECUI	TED	PRICE	TYPE	TYP	RSTR	CLG MEMB	CUSTON	1ER	USR - ORDR - I	10 TEXT	TRAD TYP	
(10)	(11)	(12)	(13	(14)	(15)(	16)	(17)	(18)	(19)	(20	$)^{}_{(21)}$	(22)		(23)	(24)	(25)	
10:45:11	000011	050000053	B	0	18	F	20.0	(10)	LTM	FOK	BANCH	1234	, 56 001	1 12345678	DFD9774	1 207	
11:00:23	000023	050000124	s	ō	8	F	19.0		MKT		BANCH	23456	57 001	1 12345678	DFD9854	1	
11:43:32	000045	050000234	в	Ó	23	F	18.0		LIM		BANCH	34567	8 003	12345678	DSS09331	в	
12:22:09	000068	000000000	в	0	100	F	19.5		OTC		BANCH	45678	9 002	12345678			
13:36:59	000111	05000032	S	0	3	F	19.0		LIM	IOC	BANCH	78912	23 005	5 12345678	DGS2383	3	
13:46:47	000231	050000067	S	С	5	Ρ	20.0		MKT		BANCH	52369	98 005	12345678	DFE2389	9	
13:55:38	000244	050000179	в	С	42	F	22.0		QUO		BANCH	41569	98 005	5 12345678	IER3422	2	
TOTAL BUY TRADES							4 (26)	TOTA	L COM	ITRAC	TS BOU	GHT	1	L83 <i>(27)</i>			
						====	=						====				
		TOTA	T CF	דד ידים			2 (20)	ጥርጥል		יי ג מידיז		- -		16 (20)			
		101A			CADE 3		- (20)	1014	L COP	INAC	13 3011	, ,					
							-										
	TOTAL	FOR PRODU	ст														
	======		==														
		TOTA	AL BI	JY TR	ADES		23 ( <b>30</b>	) тот	AL CC	NTRA	CTS BOU	JGHT		303 ( <b>31)</b>			
						===	==						===				
			NT 01	777 77			10 (22							164 (22)			
TOTAL SELL TRADES							10 (32	, 10	IAL C	.ON I R.	ACIS SU	עבונ		154 ( <i>33)</i>			
													_===				
						***F	END OF	REPOR	T***								

Daily Trade Confirmation

#### Fields

Description of the fields contained in this report:

Ref	Field	Field name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	TRADER ID	Subgroup and participant ID	Code of the trader who has
			entered an order/quote
3	CLASS CODE	Class of the options contracts	C = Call
			P = Put
4	UNDERLYING	Product code	Code of the product

Release 1.0

# Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 48

Ref	Field	Field name	Description
5	EXPIRATION DATE	Expiration Date	Expiration month and year of
			the contract
6	EXERCISE PRICE	Option Strike Price	Option strike price of product
7	VERSION NUMBER	Version number of a series	Version number is blank for all
			Eurex US products.
8	COMBINATION/	Second leg of the	Contract specification for the
	SECOND LEG	combination	second half of the combination
9	ACCOUNT	Eurex account type code	A1, G1, G2, P1, P2, M1, or M2.
10	TRN TIME	Transaction Time	Time of the transaction
11	TRANS ID	Transaction ID	Transaction number assigned
			by Eurex US
12	ORDER NO	Order number	Order number assigned by the
4.0	2/2		Eurex US
13	B/S	Code of buy or sell order	B = Buy S = Sell
14	O/C	Code for the position	O = Opening
			C = Closing
15	EXECUTED	Number of Executed	Number of bought/sold
		Contracts	contracts
16	PARTIAL CODE	Code showing executed	P = Partially filled
		status	F = Totally filled
17	PRICE	Executed Price	Price at which the user has
			bought or sold the order
18	COMB	Combination Type	Options:
	ТҮРЕ		1 = Bull Spread
			2 = Bear Spread
			3 = Bull Time Spread
			4 = Bear Time Spread
			5 = Straddles
			6 = Strangle
			7 = Conversion/Reversal
			<u>Futures</u> :
			8 = Spread
10	סעד	Order turo code	Blank = No combination
19	ITP	Order type code	WKI = Unimited order
			OTC = OTC Block Trade
20	DOTD	Postriction code	EOK = Eillor Kill (Options only)
20	NOIR		IOC = Immediate-or-Cancel
			TRG - Triggered Stop Order
			(Euturos only)

# Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 49

Ref	Field	Field name	Description
21	CLG MEMB	Clearing Member	Code of the Clearing Member
22	CUSTOMER	Customer	Customer Account Number
23	USR-ORDR-NUM	User Order Number	Member firm order number
24	TEXT	Text Field	Customer account name
25	TRAD TYP	Trade Type	B = EFP/EFS trades O = OTC Block trades V = Vola trades Blank = others
26	TOTAL BUY TRADES	Total Buy Trades	Total number of matched buy orders and quotes in the selected option series/futures contract
27	TOTAL CONTRACTS BOUGHT	Total Contracts Bought	Number of bought contracts
28	TOTAL SELL TRADES	Total Sell Trades	Total number of matched sell orders and quotes in the selected options series/futures contract
29	TOTAL CONTRACTS SOLD	Total Contracts Sold	Number of sold contracts
30	TOTAL BUY TRADES	Total Buy Trades	Total number of matched buy orders and quotes in this product
31	TOTAL CONTRACTS BOUGHT	Total Contracts Bought	Number of bought contracts in this product
32	TOTAL SELL TRADES	Total Sell Trades	Total number of matched sell orders and quotes in this product
33	TOTAL CONTRACTS SOLD	Total Contracts Sold	Number of sold contracts in this product

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 50

### 8.2 Open Order Detail

#### Description Report Code: RPTTC550

The Open Order Detail report lists all unfilled working orders that remain in the order book at the end of the current trading day. For single leg options, this report contains detailed information on unfilled limit and market orders. For futures, it shows all unfilled limit, market, stop, and combination orders.

A new page is started for each futures contract and option series for the user.

XEUS OPEN ORI RPTTC550								DER DE'	TAIL			PAGE: AS OF DATE RUN DATE	1 05-02-00 05-02-00
EXCHANGE 1	EXCHANGE MEMBER: BANCH (1)									(5)	(6) (7)	(8)	
TRADER ID	:		TRD	001 <i>(2</i>	)			CONT	RACT: C OZB	SEPT 0	9600		
ORDER NO	B/	S 0/0	C AC	SIZE	EXEC	PRICE	STS TYP	EXPIF	RE CUSTOME	R USR-ORDR-	10 TEX	T ENTRY I	DATE-TIME
(9)	(10	)(11	(12)	)(13)	(14)	(15)	(16)(17)	(18)	(19)	(20)	(21	) (22)	(23)
050000011	, <b>1</b> 0 R	~ ~	A1	18	33	20 0	Δ T.TM	(10)	001	12345678901	2 999	F 05-02-00	10:45:11
050000011	S	0	Δ1	8	3	19 0	T.TM	GTC	001	12345678901	2 FRE	E 05-02-00	11:00:23
050000045	В	0	A1	23	1	10.0	MKT	010	001	12345678901	2 FRE	E 05-02-00	11:43:32
050000074	B	0	A1	15	0	19.0	T.TM	GTC	001	12345678901	2 FRE	E 05-02-00	13:31:55
					*	* *TRANS	ACTION EN	CERED I	BY EUREX ON	BEHALF OF BAL	JKA***		
050000111	S	0	A1	3	5	19.0	LIM		001	12345678901	2 FRE	E 05-02-00	13:36:59
050000231	S	C	A1	5	34		MKT	GTC	001	12345678901	2 FRE	E 05-02-00	13:46:47
050000244	В	C	A1	42	23		MKT	GTC	001	12345678901	2 FRE	E 05-02-00	13:55:38
050000543	В	C	A1	33	0	17.0	LIM		001	12345678901	2 FRE	E 05-02-00	15:11:11
050000678	В	0	A1	12	0	20.0	LIM	GTC	001	12345678901	2 FRE	E 05-02-00	15:34:56
							(24)				(25)		
				TOTAL	BUY (	ORDERS	. ,	TOTAL	CONTRACTS	TO BE PURCHASE	D 143		
											======		
							(26)				(27)		
				TOTAL	SELL	ORDERS	3	TOTAL	CONTRACTS '	TO BE SOLD	16		
											======		
							***END (	OF REPO	RT***				

Open Order Detail

Fields

Description of the fields contained in this report:

Ref	Field	Field Name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	TRADER ID	Subgroup and participant	Code of the trader who has entered an order/quote
3	CLASS CODE	Class of the options contracts	C = Call P = Put
4	UNDERLYING	Product code	Code of the product
5	EXPIRATION DATE	Expiration Date	Expiration month and year of the contract
6	EXERCISE PRICE	Option Strike Price	Option strike price of the product
7	VERSION NUMBER	Code showing original or adjusted	Code showing whether the contract is original (blank) or adjusted (1-3)

# Eurex US Security Coordinator/Master Terminal Operator

## User Reports

Ref	Field	Field Name	Description
8	COMBINATION/	Second leg of the	Contract specification for the
	SECOND LEG	combination	second half of the combination
9	ORDER NO	Order number	Order number assigned by the
			Eurex US
10	B/S	Code of buy or sell order	B = Buy
			S = Sell
11	O/C	Code for the position	O = Opening
			C = Closing
12	AC	Eurex account type code	A1, G1, G2, P1, P2, M1, or M2.
13	SIZE	Quantity	Number of contracts not yet
			matched in an order
14	EXEC	Executed Quantity	Quantity of contracts traded /
			matched.
15	PRICE	Price	Entered Price of order.
_			Blank for market order.
16	STS	Status display	A = Active
		'	E = Expired
		'	I = Inactive
		'	P = Pending (for options)
		!	R = Display only (options)
17	TYP	Order type code	MKT = Unlimited order
		'	LIM = Limited order
		'	QUO = Quote
		'	STP = Stop orders (Futures), the
		'	price limit has not yet been
10			reached
18	EXPIRE	Expiration Date	Expiration day of the order if GID
		'	(Good till Date) or
10			GTC (Good-till-Cancelled)
19		Customer	Customer Detail Information
20			Member firm order number
21		Text Field	Customer account name
22	ENTRY DATE	Entry Date	Date of order entry
23	TIME	Time	Greenwich Mean Time of order
- 1		<u> </u>	entry
24	TOTAL BUY ORDERS	Total buy orders	Number of buy orders
25	TOTAL PURCHASE	Total purchase contracts	Total number of contracts to be
	CONTRACTS		bought
26	TOTAL SELL	Total sell orders	Number of sell orders
	ORDERS	!	
27	TOTAL SELL	Total sell contracts	Total number of contracts to be
	CONTRACTS		sold

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 52

Release 1.0

Description

#### Report Code: RAWTC550

The Open Order Detail report is also available as raw data report. The report structure and the corresponding data elements contained in the file RAWTC550 are described in the following list. Field values are provided where applicable.

01	RWIC550-	WS-R	EC.								
	05	RAW	-KEY-	GRP	-RWTC550.						
		10	RAW-	ID-O	COD-RWTC550	PIC X(8).	(1)				
		10	RAW-	DAT	-GRP-RWTC550.						
			15	RAW	-EFF -DAT-RWTC550	PIC 9(8).	(2)				
			15	RAW	-CRT-PROC-DAT-RWTC550	PIC 9(8).	(3)				
		10	ENV-	NO - 7	TXT-RWTC550.						
			15	ENV	-NO-1-TXT-RWTC550	PIC X(1).	(4)				
		10	15 MEMB	ENV- B-EX(	-NO-2-TXT-RWTC550 C-ID-COD-RWTC550.	PIC X(1).	(5)				
			15	MEMI	3-IST-ID-COD-RWTC550	PIC X(3).					
			15	MEMI	B-BRN-ID-COD-RWTC550	PIC X(2).					
		10	PART	-ID-	-COD-RWTC550.						
			15	PAR	[-SUB-GRP-COD-RWTC550	PIC X(3).	(6)				
			15	PAR	F-NO-RWTC550	PIC X(3).	(7)				
			15	SECU	J-ID-COD-RWTC550	PIC X(4).	(8)				
		10	SERI 15	-CMI SER	B-GRP-RWTC550 OCCURS 2 TIM	MES.					
				20	SERI-CLAS-COD-RWTC550	PIC X(1).	(9)				
				20	SERI-EXP-DAT-RWTC550.		(10)				
				20	25 EXPT -YR-DAT-RWTC550	PTC 9(2)	( 10 )				
					25 EXPT -MTH-DAT-RWTC550	PTC 9(2)					
				20	EXER-PRC-RWTC550	PIC 9(6).	(11)				
				20	SERI-VERS-NO-RWTC550	PIC 9(1).	(12)				
		10	ACCT	-TYI	P-COD-GRP-RWTC550.		(13)				
			15	ACC:	T-TYP-COD-RWTC550	PIC X(1).	. ,				
			15	ACC	T-TYP-NO-RWTC550	PIC $X(1)$ .					
		10	ORDR	-NO-	-RWTC550	PIC 9(9).	(14)				
	05	REF	PT-DATA-GRP-RWTC550.								
		10	REPT	REPT-REC-1-GRP-RWTC550.							
			15	ORDE	R-BUY-COD-RWTC550	PIC X(1).	(15)				
			15	OPEI	N-COD-RWTC550	PIC X(1).	(16)				
			15	ORD	R-OTY-RWTC550	PIC9.	(17)				
			15	ORD	R-EXE-QTY-RWTC550	PIC9.	(18)				
			15	ORD	R-EXE-PRC-RWTC550	PIC X(9).	(19)				
			15	ORD	R-TYP-COD-RWTC550	PIC X(1).	(20)				
			15	ORD	R-EXP-DAT-RWTC550	PIC 9(10).	(21)				
			15	ORD	R-ENT-DAT-RWTC550	PIC 9(10).	(22)				
			15	TRAI	N-TIM-RWTC550	PIC 9(8).	(23)				
			15	MEMI	B-EXC-USR-ID-COD-RWTC550.		(24)				
				20	MEMB-USR - IST-ID-COD-RWTC	550					
						PIC X(3).					
				20	MEMB-USR -BRN-ID-COD-RWTC	550					
				-		PIC X(2).					
			15	ORD	R-TXT-GRP-RWTC550.						
				20	CUSTOMER -RWTC550	PIC X(12).	(25)				
				20	USER-ORD-NUM-RWTC550	PIC X(12).	(26)				
				20	TEXT-RWTC550	PIC X(12).	(27)				
			15	ORDI	R-STS-COD-RWTC550	PIC X(1).	(28)				

## Eurex US Security Coordinator/Master Terminal Operator

## User Reports

Page 53

Release 1.0

### Fields

Description of the fields contained in this raw data report:

REF	FIELD	DESCRIPTION
1	RAW-ID-COD-RWTC550	This field contains the identification code of the raw data-
		stream.
		Values include:
		RAWTC550 - valid data-record
		ENDTC550 - end of raw data-stream
2	RAW-EFF-DAT-RWCT550	This field identifies the business-day of which the raw data-
		stream is created.
		The format of this field is:
		YYYYMMDD
3	RAW-CRT-PROC-DAT-	This field identifies the creation-day of the raw data-stream.
	RWTC550	The format of this field is:
		YYYYMMDD
4	ENV-NO-TXT-RWTC550	This field identifies the environment this raw data file belongs
		to.
		Possible values are:
		30 - production environment
-		31 - Simulation environment
5		Finis group field contains the identification code of the
^		Exchange wemper.
0	PARI-SUB-GRP-COD-	i his field contains the participant group code.
7		This field contains the participant number
0	SECULID COD BWITC550	This field contains the unique identification code that the
0	3EC0-10-C00-RW1C550	overhange has assigned to the product
Notel	The fields 9 to 12 occur twice	where the second occurrence is only filled for the second leg of
	instion	where the second occurrence is only lined for the second leg of
	SERI-CLAS-COD	This field contains the class of an ontions series
3	BWTC550	Field value include:
	KW10550	C - Call
		P - Put
		This field will be formatted with a space for futures contracts.
10	SERI-EXP-DAT-RWTC550	This field contains the year and month when an options series
		expires or a futures contract is settled.
		The format of this field is:
		YYMM
11	EXER-PRC-RWTC550	This field contains the price at which an options series can be
		exercised. This field will be formatted with zeros for futures
		contracts.
12	SERI-VERS-NO-RWTC550	This field contains the version number assigned to each
		options series at creation. A non-zero value in this field
		indicates that the series has been changed as a result of a
		capital adjustment.

# Eurex US Security Coordinator/Master Terminal Operator

## User Reports

REF	FIELD	DESCRIPTION
13	ACCT-TYP-COD-GRP-	This field contains the account.
	RWTC550	Field values include:
		A1 - Agent
		P1 - Principal 1
		P2 - Principal 2
		M1 - Market Maker 1
		M2 - Market Maker 2
		G1 - Pre-designated give-up-order
4.4	ODDD NO DWTOSSA	G2 - Designated give-up-order
14		This field contains a unique number to identify the order.
15		This field identifies whether the order was a buy or a sell order.
	RW1C550	Pielo values include:
		S - Sell
16		This field identifies if the transaction was specified as an
10	OF ENCODER WIC550	opening or closing action
		Field values include:
		O - Open
		C - Close
17	ORDR-QTY-RWTC550	This field contains the amount of contracts of an order not yet
		processed.
18	ORDR-EXE-QTY-RWTC550	This field contains the number of contracts of an order just
		processed.
19	ORDR-EXEPRC-RWTC550	This field contains the price that the member wants his order
		to be executed.
20	ORDR-TYP-COD-RWTC550	This field contains the order type code.
		Field values include:
		L - Limit order
		M - Market order
		G - Guole (options)
21		5 - Stop order (lutures) This field specifies the expiration date for the order
21	ORDR-EXF-DAT-RW1C350	The format of this field is:
		YYYYMMDD
		Field values include:
		99999999-GTC
		(good until cancelled)
22	ORDR-ENT-DAT-RWTC550	This field identifies the order entry date.
		The format of this field is:
		YYYYMMDD
23	TRAN-TIM-RWTC550	This field identifies the order entry time.
		The format of this field is:
		hhmmsscc
		(were cc means hundredth of a second)
24	MEMBEXGUSRID-COD-	I his field contains the identification code of the Exchange
25		Member who has entered the transaction.
20		Fine C H and Origin is displayed in this field
20		Emply for Eurex 05
27		Empty for Euroy US
20		This field identifies the status of the order
20	0101-313-000-6110330	Field values include:
		A - Active
		H - Hold

Release 1.0

## Eurex US Security Coordinator/Master Terminal Operator

User Reports

Release 1.0

Page 55

Data formats The following table shows how to map COBOL data formats to C data formats

PIC CLAUSE	Usage	Storage bytes	Data type
PIC X(n)	DISPLAY	n	ASCII TEXT
PIC 9(n)	DISPLAY	n	Unsigned numeric
PIC 9(n) [n<=4]	COMP	2	Unsigned Short Word integer
PIC 9(n) [5<=n<=9]	COMP	4	Unsigned Long Word integer
PIC S9(n) [n<=4]	COMP	2	Short Word integer
PIC S9(n) [5<=n<=9]	COMP	4	Long Word integer

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 56

Release 1.0

### 8.3 Daily Order Maintenance

#### Description Report Code: RPTTC540

The Daily Order Maintenance report lists all of the orders that were entered, traded, changed, deleted, or expired during the trading day by the firm's users. This report gives a complete list of all the actions taken upon every order during the trading day.

A new page is started for every futures contract and option series a user trades.

This report functions as an audit trail for orders.

XEUS RPTTC54	0					1	DAILY	ORDER	MAINT	ENANCE	2			AS OF RUN	PAGE: DATE: 05- DATE: 05-	1 02 - 0 0 02 - 0 0
EXCHANG TRADER	E MEI ID:	MBER: BANC TRD0	H(1) 01 (2)	CO	NTRAG	() CT: (	<b>3)(4)</b> C OZB	(5) SEP:	T00	<b>(6) (7</b> 9600	")	(8)				(9)
MAINT	MN'	ORDER	TRADER	D / 0				ORDER	MATCH				CLG			
TIME	COI	) NO	BEHALF	B/S	0/0	AC	SIZE	PRICE	PRICE	TYPE	RSTR	EXPIRE	MBR	CUSTOMER	USR-ORD-NO	TEXT
(10)	(11	) (12)	(13)	 (14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
09:11:1	1 A	107000002		в	0	M1	22	18.5		LIM		16-04-99	BANCH	XAA198603	123456789	FREE
09:11:5	1 A	107000003		S	С	M1	20	19.0		LIM		16-04-99	BANCH	XAA198603	123456789	FREE
10:05:5	1 C	107000005		S	0	M1	10	19.3		LIM		16-04-99	BANCH	XAA198603	123456789	FREE
10:12:5	1 A	107000076		S	C	M1	10	19.0		LIM		16-04-99	BANCH	XAA198603	123456789	FREE
10:21:1	3 A	107002345		в	С	A1	20	0.0		MKT		16-04-99	BANCH	YAA198804	123456789	FREE
10:21:1	5 P	107002345		в	С	A1	15	18.9		MKT		16-04-99	BANCH	YAA198804	123456789	FREE
10:21:2	X 0	107002345		В	С	A1	5	0.0		MKT		16-04-99	BANCH	YAA198804	123456789	FREE
11:11:1	1 M	106007561		В	C	P1	35	19.8		LIM		16-04-99	BANCH	YAA198603	123456789	FREE
12:49:5	8 A	107005012	TCF002	S	С	M1	40	20.2		LIM		16-04-99	BANCH	YAA198836	123456789	FREE
12:50:0	2 M	107005012	TCF002	S	С	M1	40	20.2		LIM		16-04-99	BANCH	YAA198836	123456789	FREE
12:55:1	5 M	10700003		S	С	A1	20	19.0		LIM		16-04-99	BANCH	YAC498808	123456789	FREE
13:01:0	A 0	107006901		В	0	A1	22	20.2		LIM		16-04-99	BANCH	YCC198809	123456789	FREE
14:18:1	7 C	107006901		в	0	A1	200	20.2		LIM		16-04-99	BANCH	YCC198809	123456789	FREE
15:23:1	1 P	10700002		в	0	P1	20	18.5		LIM		16-04-99	BANCH	ZAA198603	123456789	FREE
15:23:3	4 D	107000005		S	0	P1	10	19.3		LIM		16-04-99	BANCH	YHH198812	123456789	FREE
18:23:5	9 E	10700002		В	0	P1	2	18.5		LIM		16-04-99	BANCH	JAA198603	123456789	FREE
***END OF REPORT***																

Daily Order Maintenance

## Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 57

Fields

Description of the fields contained in this report:

Ref	Field	Field Name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	TRADER ID	Subgroup and participant	Code of the trader who has entered
		ID	an order/quote.
3	CLASS CODE	Class of the options	C = Call
		contracts	P = Put
4	UNDERLYING	Product code	Code of the product
5	EXPIRATION DATE	Expiration Date	Expiration month and year of the
			contract
6	EXERCISE PRICE	Option Strike Price	Option Strike Price of Product
7	VERSION NUMBER	Code showing original or	Code showing whether the contract
		adjusted	is original (blank) or adjusted (1-3)
8	COMBINATION/	Second leg of the	Contract specification for the
	SECOND LEG	combination	second half of the combination
9	COMB	Combination Type	Options:
	TYPE		1 = Bull Spread
			2 = Bear Spread
			3 = Bull Time Spread
			4 = Bear Time Spread
			5 = Straddles
			6 = Strangle
			7 = Conversion/Reversal
			Futures:
			8 = Spread
			Blank = No combination
10	MAINT	Maintenance time	Greenwich Mean Time at which the
	TIME		function was executed
11	MNT	Maintenance Code	Code of executed function:
	COD		A = Added
			M = Match
			P = Partially matched
			R = Released (=Futures Stop order
			which was triggered and is
			now a market order)
			C = Change
			D = Deleted
			X = Deleted FOK/IOC Orders
			E = Expired
12	ORDER NO	Order number	Order number assigned by Eurex
			US
13	TRADER	Trader on behalf of	Code of the trader for whom the
L	BEHALF		order was entered
14	B/S	Code of buy or sell order	B = Buy
			S = Sell
15	O/C	Code for the position	O = Opening
			C = Closing

# Eurex US Security Coordinator/Master Terminal Operator

User Reports

Ref	Field	Field Name	Description			
16	AC	Account type code	A1, G1, G2, P1, P2, M1, or M2.			
17	SIZE	Quantity	Number of contracts not yet matched in an order			
18	ORDER PRICE	Price	Price at which the user would like to buy or sell the contract			
19	MATCH PRICE	Executed Price	Price at which the order was executed			
20	TYPE	Order type code	Order type code LIM = Limit Order MKT = Unlimited Order			
21	RSTR	Restriction code	FOK = Fill-or-Kill (Options) IOC = Immediate-or-Cancel STP = Stop orders (Futures), the price limit has not yet been reached TRG = Triggered Stop Order, (Futures) the price limit of which has been reached and is now in the market			
22	EXPIRE	Expiration Date	Expiration date of the order			
23	CLG MEMB	Clearing Member	Code of the Clearing Member			
24	CUSTOMER	Customer	Customer Detail Information			
25	USR-ORDR-NUM	User Order Number	Member firm order number			
26	TEXT	Text Field	Customer account name			

Page 58

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 59

Release 1.0

### 8.4 Daily Quote Maintenance

#### Description Report Code: RPTTC530

The Daily Quote Maintenance report lists all quotes, single leg and combination, which have been entered, changed, held, or deleted during the trading day.

Every product will have a separate report processed.

The report functions as an audit trail for quotes.

XEUS RPTTC530		DAII	LY QUOTE MAI	INTENANC	E		PAGE AS OF DATE RUN DATE	: 1 : 05-04-00 : 05-04-00	
EXCHANGE MEMBER: TRADER ID:	BANCH (1) TRD001 (2)	CONTRAC	(3)(4) CT: C OZB	(5) SEPT 00	(6) (7 340	)	(8)	(9)	
	ORDER	MAINT	TRADER ON	BID/			CLEARING		
TIME	NUMBER	CODE	BEHALF OF	ASK	SIZE	PRICE	MEMBER		
(10)	(11)	(12)	(12)	(14)	(15)	(16)	(17)		
00.11.11	122456700	(12)	(13)	(11)	10	10 0	(1)		
09.11.11	123456789	A		в	10	18.9	BANCH		
09:11:11	234567890	A		A	12	19.8	BANCH		
10.21.13	456700010	C		<u>ь</u>	20	19.9	DANCH		
10.21.13	456789012	D		A	25	17.9	BANCH		
10:25:17	56/890123	P		в	10	18.9	BANCH		
10.25.17	6/8901234	M		A	12	19.8	BANCH		
10:27:15	/89012345	M		В	20	19.9	BANCH		
10:27:15	890123456	A		A	10	20.0	BANCH		
11:11:11	901234567	C		В	14	19.3	BANCH		
11:11:11	123456789	C		A	23	20.2	BANCH		
11:12:11	234567890	н		В	4	19.8	BANCH		
11:12:11	345678901	H		A	20	19.9	BANCH		
			***END OF F	REPORT**	*				

Daily Quote Maintenance

## Eurex US Security Coordinator/Master Terminal Operator

## User Reports

Page 60

### Fields

Description of the fields contained in this report:

Ref	Field	Field Name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	TRADER ID	Subgroup and participant ID	Code of the trader who has entered an order/quote
3	CLASS CODE	Class of the options contracts	C = Call P = Put
4	UNDERLYING	Product code	Code of the product
5	EXPIRATION DATE	Expiration Date	Expiration month and year of the contract
6	EXERCISE PRICE	Option Strike Price	Option strike price of product
7	VERSION NUMBER	Code showing original or adjusted	Code showing whether the contract is original (blank) or adjusted (1-3)
8	COMBINATION/ SECOND LEG	Second leg of the combination	Contract specification for the second half of the combination
9	COMB TYPE	Combination Type	Options: 1 = Bull Spread 2 = Bear Spread 3 = Bull Time Spread 4 = Bear Time Spread 5 = Straddles 6 = Strangle 7 = Conversion/Reversal <u>Futures</u> : 8 = Spread Blank = No combination
10	TIME	Executed time	Time of the executed function
11	ORDER NUMBER	Order number	Series of numbers assigned by <i>Eurex US</i> for the order
12	MAINT CODE	Maintenance Code	Code of executed function: A = Added C = Changed D = Deleted H = Hold P = Partial M = Full match E = Expired X = Deleted by <i>Eurex US</i>
13	TRADER ON BEHALF OF	Trader on behalf of	Code of the trader for whom the order was entered
14	BID/ASK	Code of buy or sell quote	B = Bid A = Ask
15	SIZE	Quantity limit	Number of contracts to be bought/sold
16	PRICE	Price limit	Price at which the user would like to buy or sell the contract
17	CLEARING MEMBER	Clearing Member Firm ID	Member ID of clearing member

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 61

Release 1.0

### 8.5 Daily Strategy Order Maintenance

#### Description Report Code: RPTTC541

The Daily Strategy Order Maintenance report lists all of the strategy orders that were entered, traded, changed, deleted, or expired during the trading day by the firm's users. This report gives a complete list of all the actions taken upon every strategy order during the trading day.

A new page is started for every strategy a user trades. The strategies are arranged by product, strategy type and contract of the first leg.

This report works as an audit trail for strategy orders.

XEUS DAILY STRATEGY ORDER MAINTENANCE RPTTC541										AS	PAGE: S OF DATE: RUN DATE:	1 05-02-03 05-02-03				
EXCHANGE TRADER I STRATEGY	ME D: :	MBER: BANC TRD0	H(1) D1(2)	+C	OZN	APR	03 650	00 -2	C OZN	APR03 6	5600 +	C OZN APRO	3 6700	CBUT <b>(3)</b>		
MAINT	MN	T ORDER	TRADER					ORDER	MATCH			CLG				
TIME	CO	d NO	BEHALF	B/S	0/C	AC	SIZE	PRICE	PRICE	RSTR	MBR	CUSTOMER	USR-ORD-1	10 TEXT		
(10)	(11	) (12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)		
09:11:11	A	107000002		в	0	M1	22	18.5			BANCH	XAA198603	123456789	FREE		
09:11:51	А	10700003		S	С	M1	20	19.0			BANCH	XAA19860 3	123456789	FREE		
10:05:51	С	107000005		S	0	M1	10	19.3			BANCH	XAA198603	123456789	FREE		
10:12:51	A	107000076		S	С	M1	10	19.0			BANCH	XAA198603	123456789	FREE		
10:21:13	A	107002345		в	С	A1	20	0.0		IOC	BANCH	YAA198804	123456789	FREE		
10:21:15	Ρ	107002345		В	C	A1	15	18.9		IOC	BANCH	YAA198804	123456789	FREE		
10:21:20	Х	107002345		В	C	A1	5	0.0		IOC	BANCH	YAA198804	123456789	) FREE		
11:11:11	M	106007561		в	С	P1	35	19.8			BANCH	YAA198603	123456789	FREE		
12:49:58	Α	107005012	TCF002	S	C	M1	40	20.2		FOK	BANCH	YAA198836	123456789	FREE		
12:50:02	М	107005012	TCF002	S	С	Ml	40	20.2		FOK	BANCH	YAA19883 6	123456789	) FREE		
12:55:15	М	10700003		S	C	A1	20	19.0			BANCH	YAC498808	123456789	FREE		
13:01:00	Α	107006901		В	0	A1	22	20.2			BANCH	YCC198809	123456789	FREE		
14:18:17	С	107006901		в	0	Al	200	20.2			BANCH	YCC198809	123456789	FREE		
15:23:11	Ρ	107000002		в	0	P1	20	18.5			BANCH	ZAA198603	123456789	FREE		
15:23:34	D	107000005		S	0	P1	10	19.3			BANCH	YHH198812	123456789	FREE		
18:23:59	E	10700002		в	U	Pl	2	18.5			BANCH	JAA198603	123456789	9 FREÉ		
	***END OF REPORT***									RT***						

Daily Strategy Order Maintenance

## Eurex US Security Coordinator/Master Terminal Operator

## User Reports

Page 62

#### Fields

Description of the fields contained in this report:

Ref	Field	Field Name	Description
1	EXCHANGE MEMBER	Member Firm ID	Member ID
2	TRADER ID	Subgroup and participant	Code of the trader who has entered
		ID	an order/quote
3	STRATEGY	Strategy	Up to 4 included Contracts and
			Strategy type
10	MAINT	Maintenance time	Greenwich Mean Time at which the
	TIME		function was executed
11	MNT	Maintenance Code	Code of executed function:
	COD		A = Added
			M = Match
			P = Partially matched
			C = Change
			D = Deleted
			X = Deleted FOK/IOC Orders
			E = Expired
12	ORDER NO	Order number	Order number assigned by Eurex US
13	TRADER	Trader on behalf of	Code of the trader for whom the
	BEHALF		order was entered
14	B/S	Code of buy or sell order	B = Buy
			S = Sell
15	0/C	Code for the position	O = Opening
			C = Closing
16	AC	Account type code	A1, G1, G2, P1, P2,M1, or M2.
17	SIZE	Quantity	Number of contracts not yet
			matched in an order
18	ORDER	Price	Price at which the user would like to
	PRICE		buy or sell the contract
19	MATCH	Executed Price	Price at which the order was
	PRICE		executed
20	RSTR	Restriction code	FOK = Fill-or-Kill (Options)
			IOC = Immediate-or-Cancel
21	CLG	Clearing Member	Code of the Clearing Member
	МЕМВ	_	-
22	CUSTOMER	Customer	Customer Detail Information
23	USR-ORDR-NUM	User Order Number	Member firm order number
24	TEXT	Text Field	Customer account name

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 63

Release 1.0

### 8.6 Daily Strategy Quote Maintenance

#### Description Report Code: RPTTC531

The Daily Strategy Quote Maintenance report lists all strategy quotes which have been entered, changed, or deleted during the trading day.

Every product will have a separate report processed.

Each strategy is printed on a separate page. The strategies are arranged by product, strategy type and contract of the first leg.

The report works as an audit trail for strategy quotes.

XEUS RPTTC530		DAILY ST	RATEGY QU	OTE MAINT	FENANCE		PAGE: AS OF DATE: ( RUN DATE: (	1 05-04-03 05-04-03
EXCHANGE MEMBER: B TRADER ID: T STRATEGY:	BANCH (1) CRD001 (2)	+C 02	IN APRO3 6	500 -2C	OZN APR03	6600	+C OZN APR03 6700	CBUT <b>(3)</b>
TIME	ORDER NUMBER	MAINT CODE	TRADER O BEHALF O	N BID/ F ASK	SIZE	PRICE	CLEARING MEMBER	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	
09:11:11 1	23456789	A		В	10	18.9	BANCH	
09:11:11 2	34567890	A		A	12	19.8	BANCH	
10:21:13 3	45678901	C		В	20	19.9	BANCH	
10:21:13 4	56789012	D		A	25	17.9	BANCH	
10:25:17 5	67890123	P		В	б	18.9	BANCH	
10:25:17 6	78901234	M		A	12	19.8	BANCH	
10:27:15 7	89012345	М		В	20	19.9	BANCH	
10:27:15 8	90123456	A		A	10	20.0	BANCH	
11:11:11 9	01234567	С		В	14	19.3	BANCH	
11:11:11 1	23456789	С		A	23	20.2	BANCH	
			***END OF	REPORT*	* *			

Daily Strategy Quote Maintenance

#### Fields

Description of the fields contained in this report:

Ref	Field	Field Name	Description
1	EXCHANGE MEMBER	Member Firm ID	BOTCC Code and Location ID
2	TRADER ID	Subgroup and participant ID	Code of the trader who has entered an order/quote
3	STRATEGY	Strategy	Up to 4 included Contracts and Strategy type
10	TIME	Executed time	Time of the executed function
11	ORDER NUMBER	Order number	Order number

#### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Ref	Field	Field Name	Description
12	MAINT CODE	Maintenance Code	Code of executed function: A = Added C = Changed D = Deleted P = Partial M = Full match E = Expired
13	TRADER ON	Trader on behalf of	X = Deleted by Eurex US Code of the trader for whom the order was
	BEHALF OF		entered
14	BID/ASK	Code of buy or sell quote	B = Bid A = Ask
15	SIZE	Quantity limit	Number of contracts to be bought/sold
16	PRICE	Price limit	Price at which the user would like to buy or sell the strategy
17	CLEARING MEMBER	Clearing Member Firm ID	Member ID of clearing member

### 8.7 OTC Trade Maintenance

#### Description Report Code: RPTTC545

For each exchange member, this report lists all OTC Trades that have been added, changed, deleted or ratified during the trading day.

For each exchange member – separated by traders and options series or futures contracts –, this report lists all actions performed for the maintenance of OTC Trades. For each options series or futures contracts as well as for each trader, a new page is started.

XEUS			0	TC TRAD	E MAIN	FENANCE				PAGE :	5
RPTTC545										AS OF DATE:	21-04-99
										RUN DATE:	21-04-99
EXCHANGE MEMBER:	BANKB (1)	(3)(4	) (5)	(6)	(7)						
TRADER ID:	LTR001 (2)	CONTRACT: C OD	AX JUN 9	9 5000							
MAINT MNT	T TRANS	TRADER ON BUY	OPEN/				CLG				COUNTER
TIME CDE	T ID NO	BEHALF OF SELI	CLOSE	ACCT	SIZE	PRICE	MEMBER	CUSTOMER	USR-ORD-NO	TEXT	PARTY
(8) (9)(	10) (11)	(12) (13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)
10:40:20 A	0 212198	В	C	A1	120	70.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 21	L6 ABCDE
10:42:24 A	0 212198	TRD001 S	C	P1	120	70.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 21	L7 ABCDE
10:42:24 R	0 212198	В	C	A1	120	70.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 21	L6 ABCDE
10:42:24 R	0 212198	TRD001 S	С	P1	120	70.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 21	L7 ABCDE
10:45:35 A	0 212233	TRD001 B	0	P1	110	60.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 21	L8 ABCDE
10:50:10 R	0 212233	TRD001 B	0	P1	110	60.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 21	L8 ABCDE
10:52:18 A	0 212245	TRD001 S	С	P1	100	70.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 22	ABCDE
10:52:18 R	0 212245	TRD001 S	č	P1	100	70.0	BANKB	WHOEVER	DEF ORDR NUM	REFER. # 22	21 ABCDE

OTC Trade Maintenance

Release 1.0

# Eurex US Security Coordinator/Master Terminal Operator

## User Reports

Page 65

#### Fields

Description of the fields contained in this report:

REF	FIELD NAME	DESCRIPTION
1	EXCHANGE MEMBER	Member ID
2	TRADER ID	Trader ID
3	CLASS CODE	Options contract class (Call/Put)
4	UNDERLYING	Underlying code
5	EXPIRATION DATE	Expiration month and year of the contract
6	EXERCISE PRICE	Exercise price
7	VERSION NUMBER	Code for contract specification:
		Original- (blank) or adjusted (1 - 9) contract
8	MAINTENANCE TIME	Execution time of the maintenance function
9	MAINTENANCE CODE	Code of the executed maintenance function:
		A = Add
		C = Change
		R = Ratify
		D = Delete
10	TT	Trade Typ
		O for OTC Block Trade
		V for OTC Vola Trades
		B for EFP/EFS Trades
11	TRANS ID NO	Transaction number of the OTC Block Trade
12	TRADER ON BEHALF	ID of the trader for whom the transaction was executed on
	OF	behalf of
13	BUY/SELL CODE	Code for buy (B) or sell (S)
14	OPEN/CLOSE CODE	Code for open (O) or close (C) of a position
15	ACCOUNT TYPE	Code for account type
16	SIZE	Number of contracts
17	PRICE	Price of the contract.
18	CLEARING MEMBER	Member ID of the clearing member
19	CUSTOMER	1 character CTI
		2 character Origin
20	USR-ORD-NO	Empty field
21	TEXT	Customer Account
22	COUNTERPARTY	Counterparty of OTC trade

### Eurex US Security Coordinator/Master Terminal Operator

User Reports

Release 1.0

Page 66

### 8.8 Strategy OTC Trade Maintenance

#### Description Report Code: RPTTC546

For each exchange member, this report lists all Strategy OTC Trades that have been added, changed, deleted or ratified during the trading day.

For each exchange member – separated by traders and strategies –, this report lists all actions performed for the maintenance of strategy OTC Trades. For each strategy as well as for each trader, a new page is started.

XEUS		STAR	TEGY OTC TRAD	E MAINTENANCE			PAGE: 5
RPTTC546						AS O	F DATE: 21-04-99
						PIIN	I DATE: 21-04-99
						1001	DAIL: 21 01 99
EXCULANCE MEMDED . DANKD (	,						
TRADED ID: ITROUL (							
IRADER ID: LIROUI (.	/						
(3)	(4) (5) (6	(7)					
STRATEGY: CBUT	B01C ODEC DE	C02 1500	S02C ODEC DEC	02 1600 B01C O	DEC DEC02 1700		
MAINT MNT T TRANS TRA	DER ON BUY/	OPEN/		OPT TRN ID/ C	CLG		COUNTER
TIME COD T ID NO BE	ALF OF SELL	CLOSE ACCT	SIZE PRICE	CUSIP/SWAPID M	MEMBER CUSTOMER	USR-ORD-NO	TEXT PARTY
(8) (9) (10) (11)	(12) $(13)$	(14) (15)	(16) (17				
	(12) (13)	(14) (15)	(16) (17	) (18) (	(19) (19)	(20)	(21) (22)
16:03:53 A 0 000046	В	0 A1	1,000 14.5	) (18) ( 0 S	( <b>19) (19)</b> Sfulm test cust (	(20) DT TEST ORDR OT	(21) (22) TEST TEXT OT SFULM
16:03:53 A O 000046 16:03:53 R O 000046	В В	0 A1 0 A1	(16) (17 1,000 14.5 1,000 14.5	) (18) ( 0 S 0 S	( <b>19) (19)</b> SFULM TEST CUST ( SFULM TEST CUST (	(20) DT TEST ORDR OT DT TEST ORDR OT	(21) (22) TEST TEXT OT SFULM TEST TEXT OT SFULM
16:03:53 A O 000046 16:03:53 R O 000046 16:03:54 A O 000048	B B B	0 A1 0 A1 0 A1	(16) (17 1,000 14.5 1,000 14.5	) (18) ( 0 S 0 S 0 S	(19) (19) SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST (	(20) DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT	(21) (22) TEST TEXT OT SFULM TEST TEXT OT SFULM TEST TEXT OT SFULM
16:03:53 A 0 000046 16:03:53 R 0 000046 16:03:54 A 0 000048 16:03:55 R 0 000048	B B B B B	0 A1 0 A1 0 A1 0 A1	(16) (17 1,000 14.5 1,000 14.5 1,000 14.5 1,000 14.5	) (18) ( 0 S 0 S 0 S 0 S	(19) (19) SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST (	(20) DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT	(21) (22) TEST TEXT OT SFULM TEST TEXT OT SFULM TEST TEXT OT SFULM TEST TEXT OT SFULM
16:03:53 A 0 000046 16:03:53 R 0 000046 16:03:54 A 0 000048 16:03:55 R 0 000048 16:03:55 R 0 000048	B B B B B B	(14) (13) 0 A1 0 A1 0 A1 0 A1 0 A1	(16) (17 1,000 14.5 1,000 14.5 1,000 14.5 1,000 14.5 1,000 14.5	) (18) ( 0 s 0 s 0 s 0 s	(19) (19) SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST (	(20) DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT	(21) (22) TEST TEXT OT SFULM TEST TEXT OT SFULM TEST TEXT OT SFULM TEST TEXT OT SFULM TEST TEXT OT SFULM
16:03:53 A 0 000046 16:03:53 R 0 000046 16:03:55 R 0 000048 16:03:55 R 0 000048 16:03:55 R 0 000050	B B B B B B B B B B B B B B B B B B B	(14) (13) 0 A1 0 A1 0 A1 0 A1 0 A1 0 A1	(16)   (17)     1,000   14.5     1,000   14.5     1,000   14.5     1,000   14.5     1,000   14.5     1,000   14.5	) (18) ( 0 S 0 S 0 S 0 S 0 S	(19) (19) SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST ( SFULM TEST CUST (	(20) DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT DT TEST ORDR OT	(21) (22)   TEST TEXT OT SFULM TEST TEXT OT SFULM   TEST TEXT OT SFULM TEST TEXT OT SFULM   TEST TEXT OT SFULM TEST TEXT OT SFULM
16:03:53     A     0     000046       16:03:53     R     0     000046       16:03:54     A     0     000048       16:03:55     R     0     000048       16:03:56     A     0     000050       16:03:56     R     0     000050	B B B B B B B	0     A1	(16)     (17)       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5	) (18) ( 0 S 0 S 0 S 0 S 0 S 0 S	(19) (19)   SFULM TEST CUST (	(20) DT TEST ORDR OT DT TEST ORDR OT	(21)(22)TEST TEXT OTSFULMTEST TEXT OTSFULMTEST TEXT OTSFULMTEST TEXT OTSFULMTEST TEXT OTSFULM
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	B B B B B B B B B B	0     A1	(16)     (17)       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5	) (18) ( 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S	(19) (19)   SFULM TEST CUST (	(20) T TEST ORDR OT T TEST ORDR OT	(21) (22) TEST TEXT OT SFULM TEST TEXT OT SFULM
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	B B B B B B B B B B B B B B B B B B B	0     A1	(16)     (17)       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5	(18) (   0 S   0 S   0 S   0 S   0 S   0 S   0 S   0 S   0 S   0 S   0 S   0 S   0 S   0 S	(19) (19)   SFULM TEST CUST (	(20) T TEST ORDR OT T TEST ORDR OT	(21) (22) TEST TEXT OT SFULM TEST TEXT OT SFULM
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	B B B B B B B B B B B B	(14) (13) 0 Al 0 Al	(16)     (17)       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5       1,000     14.5	) (18) ( 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S	(19) (19)   SFULM TEST CUST   SFULM TEST CUST	(20) T TEST ORDR OT T TEST ORDR OT	(21) (22) TEST TEXT OT SFULM TEST TEXT OT SFULM



Fields

Description of the fields contained in this report:

REF	FIELD NAME	DESCRIPTION
1	EXCHANGE MEMBER	Member ID
2	TRADER ID	Trader ID
3	STRATEGY	Strategy Identifier
4	LEG	Leg Identifier
5	UNDERLYING	Underlying code
6	EXPIRATION DATE	Expiration month and year of the contract
7	EXERCISE PRICE	Exercise price
8	MAINTENANCE TIME	Execution time of the maintenance function
9	MAINTENANCE CODE	Code of the executed maintenance function:
		A = Add
		C = Change
		R = Ratify
		D = Delete
10	ТТ	Trade Typ
		O for OTC Block Trade
11	TRANS ID NO	Transaction number of the OTC Block Trade

# Eurex US Security Coordinator/Master Terminal Operator

User Reports

Page 67

REF	FIELD NAME	DESCRIPTION
12	TRADER ON BEHALF OF	ID of the trader for whom the transaction was executed on behalf of
13	BUY/SELL CODE	Code for buy (B) or sell (S)
14	OPEN/CLOSE CODE	Code for open (O) or clos e (C) of a position
15	ACCOUNT TYPE	Code for account type
16	SIZE	Number of contracts
17	PRICE	Price of the contract.
18	CLEARING MEMBER	Member ID of the clearing member
19	CUSTOMER	1 character CTI 2 character Origin
20	USR-ORD-NO	Empty field
21	TEXT	Customer Account
22	COUNTERPARTY	Counterparty of OTC trade

## Eurex US Security Coordinator/Master Terminal Operator

User Reports

8.9 Contract Maintenance

#### Description Report Code: RPTTA110

The Contract Maintenance report contains a list of all futures contracts and options series for a product that are currently trading, or have been newly entered, deleted, or expired.

XEUS RPTTA110	CONTRACT	MAINTENA	NCE		PAGE: AS OF DATE: RUN DATE:	1 05-04-00 05-04-00	
PRODUCT: OZB (1)	OPT ON US BONDS (2)						
		MAINT	STAT	rus	PARTICIPANT		
CONTRACT ID	SECURITY-ID	CODE	OLD	NEW	ID	TIME	
(3)	(4)	(5)	(6)	(7)	(8)	(9)	
C OZB APR 00 9200	DE0007756132 D 4 09200 185	C	A	E		19:13:12	
C OZB APR 00 9300	DE0007756132 D 4 09300 185	C	A	Е		19:13:24	
C OZB APR 00 9400	DE0007756132 D 4 09400 185	C	A	E		19:13:50	
C OZB APR 00 9500	DE0007756132 D 4 09500 185	C	A	E		19:14:12	
C OZB APR 00 9600	DEO007756132 D 4 09600 185	C	A	E		19:14:22	
C OZB APR 00 9700	DE0007756132 D 4 09700 185	C	A	E		19:13:34	
C OZB APR 00 9800	DE0007756132 D 4 09800 185	C	A	E		19:13:57	
C OZB JUL 00 9200	DE0007756132 G 4 09200 185	A		A		19:15:12	
C OZB JUL 00 9300	DEO007756132 G 4 09300 185	A		A		19:15:45	
C OZB JUL 00 9400	DE0007756132 G 4 09400 185	A		A		19:16:21	
P OZB APR 00 9200	DE0007756132 P 4 09200 185	C	A	E		19:54:02	
P OZB APR 00 9300	DE0007756132 P 4 09300 185	C	A	E		19:55:12	
P OZB APR 00 9400	DEO007756132 P 4 09400 185	C	A	Е		20:03:09	
P OZB APR 00 9500	DE0007756132 P 4 09500 185	C	A	E		20:05:45	
P OZB APR 00 9600	DE0007756132 P 4 09600 185	C	A	E		20:19:15	
P OZB APR 00 9700	DE0007756132 P 4 09700 185	C	A	E		20:20:31	
P OZB APR 00 9800	DE0007756132 P 4 09800 185	C	A	E		20:20:46	
P OZB JUL 00 9200	DE0007756132 S 4 09200 185	A		A		20:22:46	
P OZB JUL 00 9300	DE0007756132 S 4 09300 185	A		A		20:23:41	
P OZB JUL 00 9400	DE0007756132 S 4 09400 185	A		A		20:20:26	

Contract Maintenance

Release 1.0

## Eurex US Security Coordinator/Master Terminal Operator

## User Reports

Page 69

#### Fields

Description of the fields contained in this report:

Ref	Field	Field Name	Description
1	PRODUCT	Product Code	Code of the product
2	PRODUCT NAME	Product Name	Full Name of the Product
3	CONTRACT ID	Contract ID Code	<u>Options:</u> class, underlying, maturity month, expiration year, strike price, version number <u>Futures:</u> underlying, maturity month and year
4	SECURITY-ID	International Securities ID Code	<u>Options</u> : Code of underlying, expiration month and year, strike price, generation number and exchange code number <u>Futures</u> : Code of the security, expiration month and year and exchange code number
5	MAINT CODE	Maintenance Code	A = Contract added C = Contract status changed D = Contract deleted
6	STATUS OLD	Code of the current status of the series contract	A = Active I = Inactive P = Pending (= options series that was added but not yet active) R = Display only (options) Blank = Contract has been newly added.
7	STATUS NEW	Code of the new status	A = Active E = Expired I = Inactive P = Pending (for options) R = Display only (options)
8	PARTICIPANT ID	Eurex US Staff ID Code	Code of the <i>Eurex US</i> staff member who added a series manually If the series was added by the system, this field remains blank
9	TIME	Function execution time	Greenwich Mean Time at which the function was executed

Eurex US Security Coordinator/Master Terminal Operator

Release 1.0

Page 70

### 8.10 SystemTransaction Overview Report

#### Description Report Code: RAWCB066

The System Transaction Overview Report is a raw data report of a Member Firm's transactions. The report is created and sent to the appropriate member's node after the end of normal batch processing. If there is a batch delay or other problems, the report is sent with the reports of the next business day. At least one transaction must occur in order for the report to be created; if there are no transactions, no report is generated. The report has a fixed structure that can be used with Excel or another spreadsheet tool. The report cannot be selected/de-selected from the Report Selection window. This report is only available as raw-data report.

		1		2	3		4	5	6	7	8
	0123456	57890123	345678	390123	4567890	12345678	390123456789	012345678	3901234567	890123456	78901234
00	(1)	(3)	(5)	(7)	(9)	(11)	(13)				
01	ABCDE		4699		386160	0000001	Broadcast 1	Logon			
02	ABCDE		4699		387190	0000007	Recoverable	e Private	Broadcast	Synchron	ize
03	ABCDE		4700		386160	0000001	Broadcast 1	Logon			
00	(2	?) (*	4) (6	5) (8	3) (10	)) (1)	2)				
04	ABCDE		4701		386160	0000001	Broadcast 3	Logon			
05	ABCDE		4702		386160	0000001	Broadcast 1	Logon			
06	ABCDE		4702		387190	0000004	Recoverable	e Private	Broadcast	Synchron	lze
07	ABCDE		4703		386160	0000001	Broadcast I	Logon			
08	ABCDE		4703		387190	0000015	Recoverable	e Private	Broadcast	Synchron	lze
09	ABCDE		4704		386160	0000001	Broadcast 1	Logon			
10	ABCDE		4705		386160	0000001	Broadcast 1	Logon			
11	ABCDE		4705		387190	0000006	Recoverable	e Private	Broadcast	Synchron	lze
12	ABCDE		4707		386160	0000001	Broadcast 1	Logon			
13	ABCDE		4707		387190	0000006	Recoverable	e Private	Broadcast	Synchron	lze
14	ABCDE		4708		386160	0000001	Broadcast 1	Logon			
15	ABCDE	SIM001	4703		336120	0000003	Product Ass	signment <i>l</i>	And Market	Maker Li	cense Inquiry
16	ABCDE	SIM001	4703		336250	0000003	Single Leg	Future Ir	nside Marke	et Inquir	Y
17	ABCDE	SIM001	4703		336270	0000003	Double Leg	Future I	nside Mark	et Inquir	У
18	ABCDE	SIM001	4703		336290	0000003	User Detail	l Inquiry			
19	ABCDE	SIM001	4703		337160	0000014	Backend Log	Jon			
20	ABCDE	SIM001	4703		350180	0000007	Regular Ord	der Inquir	ry (Miss)		
21	ABCDE	SIM001	4703		3INOT0	0000008	Inquire Own	n Trade			
22	ABCDE	SIM001	4703	ZF	350010	0000084	Futures: Or	der Add			
23	ABCDE	SIM001	4703	ZF	350050	0000029	Futures: Or	der Delet	e		
24	ABCDE	SIM001	4703	ZN	350010	0000021	Futures: Or	der Add			

Fields

Description of the fields contained in this report:

REF	FIELD NAME	DESCRIPTION
1	MEMBER ID	Member ID (5 char)
2	FILLER	Space (1 char)

Release 1.0

# Eurex US Security Coordinator/Master Terminal Operator

REF	FIELD NAME	DESCRIPTION
3	PARTICIPANT ID	User ID, space for some transactions (6 char)
4	FILLER	Space (1 char)
5	MISS-ID	logical MISS ID (4 numeric char)
6	FILLER	Space (1 char)
7	SECURITY CODE	Product ID, space for some transactions (4 char)
8	FILLER	Space (1 char)
9	TRANSACTION	Transaction code (6 char)
10	FILLER	Space (1 char)
11	TRAN. NUMBER	Number of transaction (7 char)
12	FILLER	Space (1 char)
13	TRAN. NAME	Description of transaction code (072 char)

# Eurex US Security Coordinator/Master Terminal Operator

Logout

## 9 Logout

**Objective** The objective of this section is to describe how to log out of the GUI.

Types of Logout There are two ways to log out of the Security Coordinator screens:

- Directly on the MISS (Member Integration System Sever).
- Through a workstation.

The following steps are required to log out of the MISS.

Step	Action
1	Press the < <b>F4&gt;</b> key.
	Result: Displays the GOTO field.
2	Type <i>LOGO</i> in the field.
3	Press the <i>Enter</i> key.
	Result: Displays a blank screen that completely disappears after a few seconds.

Release 1.0
## Eurex US Security Coordinator/Master Terminal Operator

### Logout

Page 73

The following steps are required to log out of the Workstation.

Step	Action
Loggin	g out of the GUI
1	Open the Login/Logout window (in the Settings menu of the menu bar).
2	Press the logout button.
3	Choose Exit under the Window menu of the menu bar and confirm the exit request.
Discon	necting from the Workstation
4	Single left click on the Start button on the task bar.
	Result: Displays pop up window above Start button.
5	Put the mouse pointer on GATE Simulation or GATE Production, depending on the
	environment in which you are working.
	<b>Result:</b> Displays a pop up window on the right of GATE.
6	Move the mouse pointer to StopGate.
7	Single left click on StopGate.
	Result: Displays the "StopGate" icon on the Windows task bar.
8	Wait for the "StopGate" icon to disappear from the task bar.
	Result: Disconnection from the MISS is completed.

# Eurex US Security Coordinator/Master Terminal Operator

Print Report Function

10	Print Report Function	
Description	The print report function on the Eurex US platform is performed in three steps.	
	1. Expand the compressed reports that are sent to the MISS (Member Integrated System Server).	
	2. Configure the workstation so it can access the MISS. This is a one-time procedure.	
	3. Retrieve the report from the MISS on the user's workstation and send it to the network printer.	
Expanding Reports	Reports are expanded using the Expand Reports Menu located in the Xmenu of the MISS.	
Workstation Printing	Printing reports from the workstation requires the user to enter the network neighborhood, the MISS that the reports are located on and send them to the network printer, which is connected to the workstation.	

Release 1.0

#### 10.1 Description of Xmenu

XmenuThe Xmenu consists of all Menus pertaining to the operational functions of the MISS. The first<br/>Menu is the main Menu.

#### 10.1.1 Main Menu



Main Menu

**Description** The Main Menu allows user access to all operational functions of the MISS. From this Menu the user can start, stop, diagnose, and check the working status of the MISS.

## Eurex US Security Coordinator/Master Terminal Operator

### Print Report Function

Page 76

Release 1.0

#### Selections

The following table describes the selections available from this Menu.

Selection	Selection Name	Description
1	Start/Stop of Communication Architecture	Allows the user to administer the
		MISS architecture.
2	Xervice Management	Allows the user to access
		management functions within the
		MISS.
3	Pre-schedule start/stop of Communication	Allows the user to pre-set
	Architecture	automatic start and stop times for
		the MISS.
4	Display system status	Displays current operating state of
		the MISS.
5	Display exception log	Displays error messages used for
		diagnosing MISS problems.
6	Display message log	Displays system messages
		relating to MISS Supervision.
7	Configuration Utility	Allows the current configuration to
		be viewed and changed.
0	Return	Exits the Xmenu program.

### Eurex US Security Coordinator/Master Terminal Operator

Print Report Function

Page 77

Release 1.0

#### 10.1.2 Xervice Management

The first step for expanding the selected reports is to enter the Xervice Management screen. The following steps are required to access this screen.

Step	Action	
1	The cursor is flashing in the selection field. Enter the number "2" in the field.	
2	Press the "Enter" key on your keyboard.	
	Result. Displays the Aervice Management screen.	

🙉 C:\WINDOW5\5ystem32\cmd.exe - xmenu.pl			
****	* MISS 3549	Development (Base90) *****	
	Xervice Manageme	nt.	
1 2 3 4	SECURITY MSG_LOGGING SESSION XEUS		
0	Return		
Plea	se Select:		

Xervice Management

DescriptionThe Xervice Management screen allows the user to access specific functions related to the<br/>MISS and its communication with the back-end trading host.

## Eurex US Security Coordinator/Master Terminal Operator

#### Print Report Function

Page 78

Release 1.0

**Selections** The following table describes the selections available from this Menu.

Selection	Selection Name	Description
1	Security	Allows the user to start or stop the security feature within the MISS.
2	MSG_Logging	Allows the user to start or stop the system message logging subsystem.
3	Session	Allows the user to start or stop the trading session within the MISS.
4	XEUS	Allows the user direct control of the <i>Eurex US</i> platform application.
0	Return	Returns the user to the previous Menu.

#### 10.1.3 XEUS

The second step for expanding the selected reports is to enter the XEUS Menu screen. The following steps are required.

Step	Action		
1	The cursor is flashing in the selection field. Enter the number "4" in the field.		
2	Press the "Enter" key on your keyboard.		
	Result: Displays the XEUS Menu screen.		

#### Eurex US Security Coordinator/Master Terminal Operator

#### **Print Report Function**

ew C:\W	/INDOW5\System32	\cmd.exe - xmenu.pl	
****	MISS 3549 Xeus	Development (Base90) *****	
123456789 1011	Startup XEUS X Start XEUS Xer Start XEUS Ret Shutdown XEUS Stop XEUS Xer Stop XEUS Ret Pre-schedule XEUS Xervice Display except Display messa Expand Reports	Kervice (Start-of-day) Avice (Intra-day) Dransmission Xervice (End-of-day) Vice (Intra-day) Aransmission Start/stop XEUS Xervice Status menu Dion log ge log S Menu	
0	Return		
Pleas	e Select:		

XEUS

**Description** The XEUS screen allows the user access to all operational functions of the *Eurex US* platform configuration of the MISS. From this Menu, you can start, stop, diagnose, check the working status of the MISS, expand reports for the *Eurex US* platform configuration.

**Selections** The following table describes the selections available from this Menu.

Selection	Selection Name	Description
1	Startup XEUS Xervice (Start-of- day)	Allows the user to start the <i>Eurex US</i> platform MISS at the beginning of the day.
2	Start XEUS Xervice (Intra-day)	Allows the user to start the <i>Eurex US</i> platform MISS during the day.
3	Start XEUS Retransmission	Allows the user to start the broadcast retransmission Xervice.
4	Shutdown XEUS Xervice (End- of-day)	Allows the user to stop the XEUS platform MISS at the end of the day.
5	Stop XEUS Xervice (Intra-day)	Allows the user to stop the XEUS platform MISS during the day.
6	Stop XEUS Retransmission	Allows the user to stop the broadcast retransmission Xervice.
7	Pre-schedule start/stop XEUS Xervice	Allows the user to pre-set the starting and stopping times of the XEUS platform MISS.
8	XEUS Xervice status Menu	Allows the user to access the XEUS Xervice Menu and determine the status of the <i>Eurex US</i> platform MISS.
9	Display exception log	Displays error messages on the <i>Eurex US</i> platform MISS used for diagnosing problems

Release 1.0

## Eurex US Security Coordinator/Master Terminal Operator

### Print Report Function

Page 80

10	Display message log	Displays system messages relating to the <i>Eurex US</i> platform MISS Supervision.
11	Expand Reports Menu	Displays the Expand Reports Menu.
0	Return	Returns the user to the previous Menu

### 10.1.4 Expand Reports

The third step for expanding the selected reports is to enter the Expand Reports Menu screen. The following steps are required.

Step	Action	
1	The cursor is flashing in the selection field. Enter the number "11" in the field.	
2	Press the "Enter" key on your keyboard. <i>Result:</i> The "Expand Reports Menu" screen will appear.	

#### Eurex US Security Coordinator/Master Terminal Operator

#### **Print Report Function**



Expand Reports

**Description** The Expand Reports Menu allows the user to expand or decompress all of the requested reports that are sent to the MISS during the batch process.

**Selections** The following table describes the selections available from this Menu.

Selection	Selection Name	Description
1	Expand XEUS Reports immediately	Expands all <i>Eurex US</i> reports immediately.
2	Display scheduled XEUS expand reports jobs	Lists the time and days of the week for automatic expansion.
3	Add scheduled expand XEUS reports job.	Allows the user to set a time and day of the week to automatically expand the reports.
4	Delete scheduled XEUS expand reports job	Allows the user to delete a set time and day for expansion of reports.
0	Return	Returns the user to the previous Menu.

Release 1.0

## Eurex US Security Coordinator/Master Terminal Operator

PerformingTo expand all reports immediately, the following steps are requiredSelected Task

Step	Action
1	In the selection field enter "1."
2	Press "Enter" key on the keyboard.
	<b>Result:</b> All selected reports will be expanded. A screen will display stating "Press <enter> to continue."</enter>
3	Press the "Enter" key on the keyboard.
	Result: Displays the Expand Reports Menu

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

#### Print Report Function

The following steps are required to display all reports scheduled for expansion.

*Note:* Administrator rights are required to perform this task. Contact the System Administrator to perform this task.

Step		Action			
1	In the selection field enter "2."				
2	Press the "Enter" key on the keyboard.				
	<b>Result:</b> Displays a list of scheduled report expansions and a prompt stating "Press <enter> to continue."</enter>				
	No.	Time	Weekday	Command	
	Job	Military time of	Mo-Monday	File location	
	number	expansion	Tu-Tuesday	and code	
			We-Wednesday	command for	
			Th-Thursday	execution	
			Fr-Friday		
			Sa-Saturday		
			Su-Sunday		
3	Press "Enter" key on the keyboard.				
	Result: Displays the Expand Reports Menu.				

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

#### Print Report Function

Page 84

The following steps are required to enter or add reports scheduled for expansion.

*Note:* Administrator rights are required to perform this task. Contact the System Administrator to perform this task.

Step	Action
1	In the selection field enter "3."
2	Press "Enter" key on the keyboard.
	<b>Result:</b> Displays a prompt stating "Please enter time for execution <hh;mm>:."</hh;mm>
3	Enter the time in military time.
4	Press "Enter" key on the keyboard.
	<i>Result:</i> Displays a prompt stating "Please enter days of week for execution [Mo,Tu,We,Th,Fr,Sa,Su]:."
5	Enter the days you want the expansion executed. Multiple days need to be separated
	by a comma.
6	Press "Enter" key on the keyboard.
	<b>Result:</b> Displays the Expand Reports Menu.

## Eurex US Security Coordinator/Master Terminal Operator

Print Report Function

The following steps are required to delete a report scheduled for expansion.

*Note:* Administrator rights are required to perform this task. Contact the System Administrator to perform this task.

Step	Action				
1	In the selection fie	ld enter "4."			
2	Press "Enter" key on the keyboard. <b>Result:</b> Displays a list of scheduled report expansions and a prompt stating "Please choose job to delete."				
	No.	Time	Weekday	Command	
	Job number	Military time of expansion	Mo-Monday Tu-Tuesday We- Wednesday Th-Thursday Fr-Friday Sa-Saturday Su-Sunday	File location and code command for execution	
3	Enter job number of	of the expansion re	equiring deletion.		
4	Press "Enter" key on the keyboard. <i>Result:</i> Deletes job and displays the Expands Report Menu.				

Release 1.0

### Eurex US Security Coordinator/Master Terminal Operator

Print Report Function

Release 1.0

Page 86

### 10.2 Configure Workstation to Access the MISS

Configuring the workstation to access the MISS requires two steps.

- 1. On the MISS, the report file has to be made accessible to the workstation by changing it to a shared file.
- 2. On the workstation, the network drive must be mapped for the user to access the report file within the MISS.

### 10.3 Printing Reports from the Workstation

There are two steps required to print reports from the workstation.

- 1. Open the desired report file.
- 2. Send it to the printer.

## Eurex US Security Coordinator/Master Terminal Operator

Appendix

Page 87

# 11 Appendix

### 11.1 Resource Access Levels

In this chapter all available RALs sorted by their appearance in the tabs are listed.

## 11.1.1 Trading Tab

RAL	FMS_ID	Description
RAL 130		Order Inquiry
RAL 131		Combination Order Inquiry
RAL 132		Inquire Inside Market
RAL 133		Extended Inside Market
RAL 134	2018	Quote Inquiry
RAL 135	2118	Combination Quote Inquiry
RAL 138	INOT	Own Trade Inquiry
RAL 139	INTR	Trade Inquiry for Related Non-Clearer
RAL 140	6318	Ticker Inquiry
RAL 141		Product Assignment Inquiry
RAL 145		Product State
RAL 146	INAT	Time and Sales Sheet
RAL 175	J010	Report Selection
RAL 205	C040	Product Overview
RAL 208		Basis Trade Entry
RAL 209		Block Trade Entry
RAL 215		Enter Strategy Request
RAL 217		Enter Strategy Order
RAL 218		Modify Strategy Order
RAL 219		Delete Strategy Order
RAL 220		Inquire Own Strategy Order
RAL 221		Enter Strategy Quote
RAL 222		Delete Strategy Quote
RAL 223		Inquire Own Strategy Quote
RAL 224		Inquire Strategy Theoretical Price
RAL 247		Vola Trade Entry
RAL 251	1001	Options Order Entry
RAL 253	1004	Options Order Modify
RAL 255	1005	Options Order Delete
RAL 260	1501	Options Combination Order Entry (Book)
RAL 262	2001	Options Quote Entry
RAL 263	2005	Options Quote Delete
RAL 264	2008	Options Quote Request

# Eurex US Security Coordinator/Master Terminal Operator

Appendix

RAL	FMS_ID	Description
RAL 265	2101	Options Combination Quote Entry
RAL 266	2105	Options Combination Quote Delete
RAL 267	2106	Options Combination Order Entry (Quote)
RAL 268	2108	Options Combination Quote Request
RAL 269	2205	Options Mass Quote Delete
RAL 270	2207	Options Mass Quote Release
RAL 271	2209	Options Mass Quote Hold
RAL 272	2210	Options Mass Quote Entry
RAL 281		Cross Request
RAL 282		Combination Cross Request
RAL 283		Fut Cross Request
RAL 284		Futures Combination Cross Request
RAL 285		Order Mass Delete
RAL 286		Combination Order Mass Delete
RAL 305		Futures Order Entry
RAL 308		Futures Order Modify
RAL 309		Futures Order Delete
RAL 310		Futures Combination Order Entry
RAL 313		Futures Combination Order Modify
RAL 314		Futures Combination Order Delete
RAL 315		Futures Stop Order Entry
RAL 318		Futures Stop Order Modify
RAL 319		Futures Stop Order Delete
RAL 320		Futures Quote Entry
RAL 321		Futures Quote Delete
RAL 322		Futures Quote Request
RAL 323		Futures Combination Quote Add
RAL 324		Futures Combination Quote Delete
RAL 325		Futures Combination Quote Request
RAL 326		Futures Mass Quote Hold

# 11.1.2 Clearing Tab

RAL	FMS_ID	Description
RAL 22	K100	Currency and Exchange Rate
RAL 136	3628	BO Messages
RAL 142		Historical Position Transaction Inquiry
RAL 178	K040	Member Relationships

Release 1.0

## Eurex US Security Coordinator/Master Terminal Operator

Appendix

Page 89

## 11.1.3 Administration Tab

RAL	FMS_ID	Description	
RAL 87	TRAA	General Trader Authorisation	
RAL 89	CLEA	Clearer Access	
RAL 143		Market Supervision Information	
RAL 149	PWCH	Reset Password	
RAL 177	K030	Member Clearing Information	
RAL 280	CSGR	Change Subgroup	

# 11.1.4 Security Tab

RAL	FMS_ID	Description
RAL 101	A042	User Resource Setup
RAL 147	4504	Change Password
RAL 148		Login and Logout
RAL 152	A020	Trader Product Assignment